MINERVA

fashions in hand knits

JAMES LEES AND SONS COMPANY
Bridgeport, Pa.

Lees

Volume 83
Price 75c

MARY LOUISE CUSTIS
Fashion Director

Photography by Howell Conant

Accessories by B. Altman & Co., New York and Bullocks, Los Angeles

JAMES LEES AND SONS COMPANY
BRIDGEPORT, PENNSYLVANIA

NEW YORK OFFICE: 295 Fifth Avenue
New York 16, N. Y.

CHICAGO OFFICE: 222 N. Bank Drive
Chicago 54, Ill.

LOS ANGELES OFFICE: 714 S. Hill Street
Los Angeles 14, Calif.

Another Famous Product • Lees Carpets

Copyright 1951

First Edition

Printed in U. S. A.

● As shown on the Cover, SUIT DRESS: Emerald Lake Velveen. No. 8300, Instructions on page 4.

DO YOU REMEMBER the long days we spent creating hand knit fashions? Today time is money and nine times out of ten, neither is in abundance!

WE WELCOME THE NEW Quick-Knits, often made on larger needles with heavier yarn in lacey patterns (yes "a stitch of this kind saves nine") see page 13 . . . . and the Bolero you'll start today and finish tomorrow, see page 12 . . . . and the Two-Piece Dress Knitted in Half-the-Time; you make the blouse and the skirt can be knitted for you, see page 2.

HAND KNIT FASHIONS TODAY SAVE TIME, for stoles, shorter jackets, abbreviated sleeves, slender skirts express the sheath silhouette, and are knitted in a jiffy in . . . . those heavenly yarns by Lees.

● JACKET OF SUIT DRESS as shown on the Cover: Emerald Lake, Appleberry and Black Velveen. No. 8300A, Instructions on pages 4 and 22.

TWO-PIECE DRESS KNITTED IN HALF TIME

You make the blouse or jacket while the skirt is knitted for you; select from four hand loomed skirt designs custom knit on order in your art needlework shop . . . . OR, if you prefer to hand knit your skirt, see below for instructions.

- PARIS BLOUSE, No. 8302. Instructions on page 10.
- Left, SKIRT: Style II Instructions on page 11.
- Left Center, SKIRT: Style I. Instructions on page 11.
- Right Center, SKIRT: Style III. Instructions on page 24.
- Right, SKIRT: Style IV. Instructions on page 25.

WEAR STOLES ALL DAY

- Right, POCKET STOLE, No. 8303. Instructions on page 25.
- Below, LACEY STOLE, No. 8304. Instructions on page 26.

Numbers 8300 and 8300A

DRESS AND JACKET

Sizes 12, 14, 16 and 18 (as shown on cover)
Originals made of Minerva Velveen—Color 1: Emerald Lake
Color 2: Appleberry
Color 3: Black

MATERIALS REQUIRED:

Minerva Velveen (1 ounce ball)

	Size 12	Size 14	Size 16	Size 18
Dress No. 8300				
Color 1	20 Balls	21 Balls	23 Balls	25 Balls
Jacket No. 8300A				
Color 1	8 Balls	9 Balls	10 Balls	11 Balls
Color 2	5 Balls	5 Balls	5 Balls	6 Balls
Color 3	5 Balls	5 Balls	5 Balls	6 Balls

—OR—

Minerva Monterey (1 ounce skein)

	Size 12	Size 14	Size 16	Size 18
Dress No. 8300				
Color 1	24 Skeins	26 Skeins	28 Skeins	30 Skeins
Jacket No. 8300A				
Color 1	10 Skeins	11 Skeins	12 Skeins	13 Skeins
Color 2	6 Skeins	6 Skeins	6 Skeins	7 Skeins
Color 3	6 Skeins	6 Skeins	6 Skeins	7 Skeins

Knitting Needles: 1 "Boye" Circular Needle Size 2—29 inch
1 Pair "Boye" Size 1—10 inch
1 Pair "Boye" Size 2—14 inch
1 Pair "Boye" Size 5—14 inch

Gauge: 8 Sts. to 1 inch (Size 2 Needles)
17 Sts. to 2 inches (Pattern St.—Size 5 Needles)

1 "Boye" Steel Crochet Hook Size 5

SIZES: 12 14 16 18

No. 8300

SKIRT: With Circular Needle and Color 1 cast on
488 Sts. 500 Sts. 512 Sts. 524 Sts.

join, being careful not to twist Sts. K. around for 12 rows. P.1 row for turn of hem, then work as follows:
*K.120 *K.123 *K.126 *K.129

P.2, repeat from * around (4 Panels).
Work even for
3″ 3″ 3″ 4¼″

(for 30 inch Skirt—for longer or shorter Skirt make adjustments here). Next row decrease 12 Sts. as follows:
*K.19 *K.20 *K.20 *K.21
K.2 together,
K.38 K.39 K.40 K.41
K.2 together,
K.38 K.39 K.40 K.41
K.2 together,
K.19 K.19 K.20 K.20
(place a marker in each decrease), P.2, repeat from * around. Next row
*K.117 *K.120 *K.123 *K.126

P.2, repeat from * around. Work even for 1¼ inches. Next row decrease 1 St. over each of the 12 markers, then
*K.114 *K.117 *K.120 *K.123

P.2, repeat from * around.
Continue to decrease 12 Sts. every 1¼ inches
15 times 15 times 15 times 14 times
more.
Sts. on Needle: (Hipline—23 inches from turn of hem)
284 Sts. 296 Sts. 308 Sts. 332 Sts.

Continue to decrease 12 Sts. every ¾ inch 7 times more and at the same time when Skirt measures 25 inches, divide Sts. between 2 P. Sts., then work back and forth for placket opening. When Skirt measures 30 inches from turn of hem (or desired length), bind off.

Work 3 rows of S.C. around top edge, then work casing for elastic (see Page 41) inside of waistline. Turn up hem and sew.

BLOUSE—BACK: With Straight Size 2 Needles cast on
100 Sts. 108 Sts. 116 Sts. 124 Sts.

Work in Stockinette St. for ½ inch. Increase 12 Sts. across next row by increasing 1 St. in every
8th St. 9th St. 9th St. 10th St.

Sts. on Needle:
112 Sts. 120 Sts. 128 Sts. 136 Sts.
Increase 1 St. each side every ¾ inch 8 times.
Sts. on Needle:
128 Sts. 136 Sts. 144 Sts. 152 Sts.

When work measures
8″ 8″ 8½″ 9″
from start (or desired length to underarm),
To Shape Armholes: Bind off 8 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 4 times.
Sts. on Needle:
104 Sts. 112 Sts. 120 Sts. 128 Sts.

Divide Sts. for back opening, working each side separately until armholes measure
7″ 7″ 7½″ 8″

(measured straight from bound-off Sts. at underarm).

(continued on page 22)

Number 8301

ONE-PIECE CROCHETED DRESS

Sizes 12, 14 and 16 (as shown on back cover)
Original made of Minerva Velveen—Color: Tropic Pink

MATERIALS REQUIRED:

Minerva Velveen (1 ounce ball)

Size 12	Size 14	Size 16
29 Balls	30 Balls	32 Balls

1 "Boye" Steel Crochet Hook Size 8

Gauge: 17 S.C. and 21 rows to 2 inches
9 Mesh and 9 Mesh rows to 2 inches

SIZES: **12** **14** **16**

SKIRT—FRONT: Starting at lower edge,
Ch. 373 Ch. 381 Ch. 389

Row 1—1 S.C. in second Ch. from hook, 1 S.C. in each Ch. across row,
372 S.C. 380 S.C. 388 S.C.

Ch.1, turn.
Row 2—1 S.C. in each St. across row, Ch.1, turn.
Repeat Row 2 for 2 inches (for 30 inch Skirt—for shorter or longer Skirt make adjustments), then decrease across next row as follows: (To decrease—draw up a loop in each of 2 Sts., work off as 1 S.C.)
1st Decreasing Row: (Place marker at each decrease) 1 S.C. in each of
5 Sts. 9 Sts. 13 Sts.

decrease 1 St., *1 S.C. in each of next 18 Sts., decrease 1 St., repeat from * 17 times more, ending 1 S.C. in each of last
5 Sts. 9 Sts. 13 Sts.

(decreasing 19 Sts.),
353 Sts. 361 Sts. 369 Sts.

Work even for 2 inches.
2nd Decreasing Row: Decrease 1 St. over each of the 19 markers. Decrease 19 Sts. in this manner every 1½ inches 2 times more. Work even for 1½ inches.
5th Decreasing Row: 1 S.C. in each of
3 Sts. 7 Sts. 11 Sts.

decrease 1 St., *1 S.C. in each of next 34 Sts., decrease 1 St., repeat from * 7 times more, ending 1 S.C. in each of last
3 Sts. 7 Sts. 11 Sts.

(decreasing 9 Sts.)
287 Sts. 295 Sts. 303 Sts.

Work should measure 9 inches from start, Ch.5, turn.

Row 1—(Filet Mesh) 1 D.C. in 3rd St., *Ch.2, skip 1 St., 1 D.C. in next St., repeat from * across row, Ch.5, turn.
Row 2—1 D.C. in second D.C., *Ch.2, 1 D.C. in next D.C., repeat from * across row, ending 1 D.C. in 3rd Ch. at start of last row, Ch.5, turn,
144 D.C. 148 D.C. 152 D.C.

across row (counting Ch. at start of row). Work even for 3 inches. Next row decrease 10 Sts. evenly across row (to decrease 1 D.C.—Y.O. hook, draw up a loop in D.C., Y.O. hook, draw up a loop in next D.C., Y.O. and through 3 loops, Y.O. and through last 3 loops).
Decrease 10 D.C. in this manner every 2 inches 7 times. Work 2 inches even, then decrease
7 Sts. 6 Sts. 7 Sts.

across row
57 D.C. 62 D.C. 65 D.C.

When work measures 30 inches (or desired length) from start, break yarn and fasten.

Work Back of Skirt the same. Sew side seams, leaving 5 inches open at left side for placket.

BLOUSE—BACK:
Ch. 171 Ch. 189 Ch. 195

Row 1—1 D.C. in 6th Ch. from hook, *Ch.2, skip 2 Ch., 1 D.C. in next Ch., repeat from * across row,
57 D.C. 63 D.C. 65 D.C.

Ch.5, turn.
Row 2—1 D.C. in 2nd D.C., *Ch.2, 1 D.C. in next D.C., repeat from * across row, ending Ch.2, 1 D.C. in 3rd Ch. at start of last row, Ch.5, turn.
Repeat Row 2, increasing 1 Mesh at each side on 11th row (by working first D.C. in first D.C. at start of row and Ch.2, 1 D.C. in same Ch. as last D.C. at end of row).
Increase 1 Mesh each side in this manner every

6th row	6th row	4th row
4 times	4 times	6 times

more, every other row 2 times, then every row once,
73 D.C. 79 D.C. 85 D.C.

across row.
Work should measure 9 inches (40 rows from start). Ch.26 at beginning of each of the next 2 rows for Cap Sleeves, working 8 D.C. on Ch. at each side. Work even until sleeve edge measures
6″ 6″ 6½″

To Shape Shoulders: Next row work across, ending with last D.C. in 9th D.C. from end of row, Ch.2, 1 S.C. in next St., 1 Tr.C. in next St., Ch.3, turn (decreasing 9 Sts.). Repeat this row
3 times 7 times 5 times

(continued on page 23)

BOLERO SUIT with COMPANION BLOUSES

- Above Left, BOLERO SUIT, No. 8305. Instructions on page 27.
- Above Right, DAYTIME BLOUSE, No. 8305A. Instructions on page 27.
- Left, EVENING BLOUSE, No. 8305B. Instructions on page 27.

THE 14 KARAT LOOK in NYLON RIBBON

● Above, RIBBON AND YARN BLOUSE, No. 8306. Instructions on page 30.

● Right, DAY OR NIGHT BOLERO, No. 8307. Instructions on page 32.

Number 8308

ONE-PIECE BASIC DRESS

Sizes 12, 14, 16, 18 and 20 (as shown on opposite page)
Original made of Minerva Fingering Yarn
Color: California Citron

MATERIALS REQUIRED:

Minerva Fingering Yarn (1 ounce ball)

Size 12	Size 14	Size 16	Size 18	Size 20
17 Balls	18 Balls	20 Balls	22 Balls	24 Balls

—OR—

Minerva Sports Yarn (2 ounce ball)

Size 12	Size 14	Size 16	Size 18	Size 20
10 Balls	11 Balls	12 Balls	13 Balls	14 Balls

Knitting Needles: 1 "Boye" Circular Needle Size 3—29 inch
1 Pair "Boye" Size 3—14 inch
1 "Boye" Cable Needle Size 3—3 inch

Gauge: 8 Sts. to 1 inch

1 "Boye" Steel Crochet Hook Size 2

SIZES: 12 14 16 18 20

SKIRT: With Circular Needle cast on 588 Sts. Join, being careful not to twist Sts., then work Cable Panels as follows:

Row 1—*K.30, P.1, K.4, P.2, K.4, P.1, repeat from * around (14 Panels).

Row 2—Same as Row 1.

Row 3—*K.30, P.1, slip next 2 Sts. on Cable Needle hold in back of work, K.2, K. the 2 Sts. from the Cable Needle, P.2, twist Cable, P.1, repeat from * around.

Rows 4, 5 and 6—Same as Row 1.

Repeat Pattern from Row 1. Work even for 2 inches (for 30 inch Skirt—for shorter or longer Skirt make adjustments).

Next row decrease 14 Sts. by K.2 together at center of each K. Panel (574 Sts. on needle).

Decrease 14 Sts. in this manner every 1½ inches

14 times	14 times	12 times	10 times	8 times

more, then decrease 1 St. in every other Panel alternately (7 Sts. decreased) every 1½ inches

———	———	2 times	4 times	6 times

then decrease 1 St. in every K. Panel every

1″	1½″	1½″	1½″	1½″
5 times	4 times	4 times	4 times	4 times

Sts. on Needle:

308 Sts.	322 Sts.	336 Sts.	350 Sts.	364 Sts.

When work measures 30 inches (or desired length) from start, decrease as follows: *(K.3 together)

3 times, K.1	3 times, K.2 together	4 times, ———	4 times, K.1	4 times, K.2

P.1, K.4,

P.2 together, K.2 together, K.2,	P.2 together, K.4	P.2, K.4	P.2, K.4	P.2, K.4

P.1, repeat from * across row. Bind off remaining

196 Sts.	210 Sts.	224 Sts.	238 Sts.	252 Sts.

Work 2 rows of S.C. at lower edge and 3 rows at waist. Work Casing for elastic (see Page 41) at inside of waistline.

BLOUSE—FRONT: With Straight Needles cast on

104 Sts.	112 Sts.	120 Sts.	128 Sts.	136 Sts.

Work in Stockinette St., increasing 1 St. each side every ½ inch 12 times.

Sts. on Needle:

128 Sts.	136 Sts.	144 Sts.	152 Sts.	160 Sts.

When work measures

8″	8″	8½″	8½″	8½″

from start, cast on 8 Sts. at end of each of the next 4 rows for Sleeves.

Sts. on Needle:

160 Sts.	168 Sts.	176 Sts.	184 Sts.	192 Sts.

Work even for 1 inch, increase 1 St. each side, then every 1½ inches 3 times more and when work measures

13½″	13½″	14½″	15″	15″

from start (measured at center),

To Shape Neck: Bind off center

28 Sts.	28 Sts.	30 Sts.	30 Sts.	32 Sts.

slip Sts. of Left Front on St. Holder and work Right Front on remaining Sts. as follows: Decrease 1 St. at neck edge every other row

6 times	6 times	6 times	7 times	7 times

When sleeve edge measures

6″	6″	6½″	7″	7″

(measured straight from last cast-on Sts.),

To Shape Sleeve and Shoulder: Bind off

10 Sts.	10 Sts.	11 Sts.	11 Sts.	11 Sts.

at sleeve edge every other row

1 time	5 times	1 time	4 times	7 times

(continued on page 33)

BASIC DRESS

No. 8308. Instructions on page 8.

Number 8302

PARIS BLOUSE

Sizes 12, 14, 16 and 18 (as shown on page 2)
Original made of Minerva Velveen—Color: Emerald Lake

MATERIALS REQUIRED:

Minerva Velveen (1 ounce ball)

Size 12	Size 14	Size 16	Size 18
8 Balls	8 Balls	9 Balls	10 Balls

—OR—

Minerva Monterey (1 ounce skein)

Size 12	Size 14	Size 16	Size 18
10 Skeins	10 Skeins	11 Skeins	12 Skeins

Knitting Needles: 1 Pair "Boye" Size 2—14 inch

Gauge: 8 Sts. to 1 inch

1 "Boye" Steel Crochet Hook Size 2

SIZES: 12 14 16 18

BLOUSE—Front: Starting at right side edge, cast on (from lower edge to Shoulder)

152 Sts. 152 Sts. 160 Sts. 160 Sts.

Row 1—(Right side of work) K.3 (Garter St. Border at lower edge),

P.99 Sts. P.99 Sts. P.103 Sts. P.103 Sts.

then *K.1, P.1, repeat from * on remaining

50 Sts. 50 Sts. 54 Sts. 54 Sts.

(Armhole Border).

Row 2—*K.1, P.1, repeat from * for

50 Sts. 50 Sts. 54 Sts. 54 Sts.

K. to end of row.

Repeat Rows 1 and 2.

Row 5—K.3, P. to end of row, increase 1 St. in last St. for Shoulder.

Row 6—K.

Repeat Rows 5 and 6, increasing 1 St. at shoulder edge every 4th row 5 times more.

To Shape Neck: Bind off 36 Sts. at shoulder edge, K. to end of row.

Sts. on Needle:

122 Sts. 122 Sts. 130 Sts. 130 Sts.

Work in Pattern St. as follows:

Row 1—K. (right side of work).

Row 2—K.3, P. to last 3 Sts., K.3 (Garter St. Border at each end).

Row 3—K.

Row 4—Same as Row 2.

Row 5—K.3, P. to last 3 Sts., K.3.

Row 6—Same as Row 2.

Row 7—K.4, *K. next 2 Sts. together and leaving them on the left hand needle, K. the first St. again, then slip them off the left hand needle (crossing 2 Sts.), repeat from * to last 4 Sts., K.4.

Row 8—Same as Row 2.

Row 9—K.3, repeat from * of Row 7, ending K.3.

Row 10—K.

Repeat from Row 1 for Pattern St.

14 times 15 times 17 times 18 times

more, then work Rows 1 to 5 inclusive, cast on 36 Sts. at neck edge. Next row decrease 1 St. at shoulder edge, then every 4th row 5 times more, working in same manner as for Right Shoulder and underarm, working

50 Sts. 50 Sts. 54 Sts. 54 Sts.

at armhole edge in Ribbing of K.1, P.1, on last 4 rows. Bind off.

BACK: Cast on Sts. and work in same manner as for Front but bind off and cast on only 20 Sts. for neck and work Pattern only

13 times 14 times 16 times 17 times

in all across center.

Neckband for Back: Cast on

144 Sts. 150 Sts. 160 Sts. 166 Sts.

Work in Stockinette St. (P. side on right side), decreasing 1 St. each side every 4th row 6 times, at the same time when work measures 1 inch, decrease 6 Sts. evenly spaced across row. When work measures 1½ inches, decrease 6 Sts. as before and when work measures 2 inches, decrease 16 Sts. across row, then work in Ribbing of K.1, P.1, for 3 rows, bind off

104 Sts. 110 Sts. 120 Sts. 126 Sts.

in Ribbing.

Neckband for Front: Cast on and decrease 1 St. each side 6 times same as for Back but work remaining Sts. even for 2 inches. Decrease 16 Sts. across row, then work Ribbing of K.1, P.1, for 3 rows, bind off

116 Sts. 122 Sts. 132 Sts. 138 Sts.

Sew Neckbands to Back and Front. Sew shoulder seams, sew underarm seams from lower edge to Ribbing at armhole edge. Work Casing for elastic (see Page 41) at inside of waistline (3 inches from lower edge).

Skirt Style I

STRAIGHT PLEATED RIB

Sizes 12, 14, 16, 18 and 20 (as shown on page 2)
Original made of Minerva Velveen—Color: Pearl

MATERIALS REQUIRED:

Minerva Velveen (1 ounce ball)

Size 12	Size 14	Size 16	Size 18	Size 20
15 Balls	16 Balls	16 Balls	19 Balls	19 Balls

—OR—

Minerva Monterey (1 ounce skein)

Size 12	Size 14	Size 16	Size 18	Size 20
18 Skeins	19 Skeins	19 Skeins	23 Skeins	23 Skeins

Knitting Needles: 1 "Boye" Circular Needle Size 1—29 inch
1 "Boye" Circular Needle Size 2—29 inch

Gauge: 10 Sts. to 1 inch (Pattern St.—Size 2 Needle)
8 Sts. to 1 inch (When blocked)

1 "Boye" Steel Crochet Hook Size 2

SIZES: 12 14 16 18 20

With Size 2 Needle cast on

410 Sts. 420 Sts. 420 Sts. 430 Sts. 430 Sts.

join, being careful not to twist Sts. Work even in Pattern St. as follows: *P.4, K.1, P.1, K.4, repeat from * around.

When work measures 30 inches (or desired length) from start, decrease

84 Sts. 84 Sts. 72 Sts. 72 Sts. 60 Sts.

evenly around by K. together about every

3rd & 4th St.	3rd & 4th St.	4th & 5th St.	4th & 5th St.	6th & 7th St.

WAISTBAND: Change to Size 1 Needle and work in Ribbing of K.1, P.1, on remaining

326 Sts. 336 Sts. 348 Sts. 358 Sts. 370 Sts.

When Waistband measures 1½ inches, bind off loosely in Ribbing.

Work Casing for elastic (see Page 41) at inside of Waistband. Work 1 row of S.C. around lower edge.

Skirt Style II

NARROW GRADUATED RIB PANEL

Sizes 12, 14, 16, 18 and 20 (as shown on page 2)
Original made of Minerva Velveen—Color: Emerald Lake

MATERIALS REQUIRED:

Minerva Velveen (1 ounce ball)

Size 12	Size 14	Size 16	Size 18	Size 20
14 Balls	14 Balls	15 Balls	16 Balls	17 Balls

—OR—

Minerva Monterey (1 ounce skein)

Size 12	Size 14	Size 16	Size 18	Size 20
17 Skeins	17 Skeins	18 Skeins	19 Skeins	20 Skeins

Knitting Needles: 1 "Boye" Circular Needle Size 2—29 inch

Gauge: 8 Sts. to 1 inch

1 "Boye" Steel Crochet Hook Size 2

SIZES: 12 14 16 18 20

Cast on

363 Sts. 374 Sts. 385 Sts. 396 Sts. 407 Sts.

Join, being careful not to twist Sts.
Row 1—*K.5, P.6, repeat from * around.
Repeat Row 1 for 17 inches (for 30 inch Skirt—for longer or shorter Skirt make adjustments here).
Next row decrease

33 Sts. 34 Sts. 35 Sts. 36 Sts. 37 Sts.

by P.2 together at center of each P. rib, then *K.5, P.5, repeat from * around for 6 inches.
Next row decrease 1 St. in each P. rib as before.
Sts. on Needle: (Hipline—23 inches from start)

297 Sts. 306 Sts. 315 Sts. 324 Sts. 333 Sts.

Next row *K.5, P.4, repeat from * around.
Decrease 1 St. in each P. rib every 2½ inches 2 times more.
Sts. on Needle:

231 Sts. 238 Sts. 245 Sts. 252 Sts. 259 Sts.

then *K.5, P.2, repeat from * around until Skirt measures 30 inches (or desired length) from start.

WAISTBAND: Work in Ribbing of K.1, P.1, decreasing

31 Sts. 26 Sts. 21 Sts. 12 Sts. 3 Sts.

across first row. When Waistband measures 1¼ inches, bind off loosely in Ribbing.

Crochet Casing for elastic (see Page 41) at inside of Waistband. Work 1 row of S.C. around lower edge.

QUICK-KNITS

Save Time

and Cost Less

- Above Left, QUICK-KNIT JERKIN, No. 8309. Instructions on page 14.
- Above Center, QUICK-KNIT BOLERO, No. 8311. Instructions on page 15.
- Left, QUICK-KNIT STOLE, No. 8310. Instructions on page 15.

THE QUICK-KNIT BASIC DRESS

No. 8312. Black Sparkletone Yarn with Silver Thread. Instructions on page 34.

Number 8309

QUICK-KNIT JERKIN

Sizes 12, 14, 16, 18 and 20 (as shown on page 12)

Original made of Minerva Sports Yarn—Color: Wild Cherry

MATERIALS REQUIRED:

Minerva Sports Yarn (2 ounce ball)

Size 12	Size 14	Size 16	Size 18	Size 20
3 Balls	3 Balls	3 Balls	4 Balls	4 Balls

—OR—

Minerva Fingering Yarn (1 ounce ball)

Size 12	Size 14	Size 16	Size 18	Size 20
5 Balls	5 Balls	6 Balls	7 Balls	8 Balls

Knitting Needles: 1 Pair "Boye" Size 3—14 inch
1 Pair "Boye" Size 9—14 inch

Gauge: 6 Sts. to 1 inch

1 "Boye" Steel Crochet Hook Size 0

SIZES: 12 14 16 18 20

BACK: With Size 3 Needles cast on

66 Sts. 72 Sts. 78 Sts. 84 Sts. 90 Sts.

Work in Ribbing of K.1, P.1, for 4 inches, then K.1 row, increasing 20 Sts. across row.

Sts. on Needle:

86 Sts. 92 Sts. 98 Sts. 104 Sts. 110 Sts.

Next row start Jiffy Garter St. by K.1 row with Size 9 Needle, then K.1 row with Size 3 Needle. Repeat these 2 rows.

When work measures

9″ 9″ 9″ 9½″ 9½″

from start (or desired length) to underarm,

To Shape Armholes: Decrease 1 St. each side, then every inch 6 times more.

Sts. on Needle:

72 Sts. 78 Sts. 84 Sts. 90 Sts. 96 Sts.

When armholes measure 11 inches (measured straight from first decrease at armhole),

To Shape Shoulders: Bind off

8 Sts. 9 Sts. 9 Sts. 10 Sts. 10 Sts.

at beginning of each of the next 6 rows, bind off remaining

24 Sts. 24 Sts. 30 Sts. 30 Sts. 36 Sts.

for back of neck.

LEFT FRONT: With Size 3 Needles cast on

48 Sts. 52 Sts. 54 Sts. 58 Sts. 60 Sts.

Work Ribbing same as on Back. K.1 row with Size 3 Needles, increasing

17 Sts. 16 Sts. 17 Sts. 16 Sts. 17 Sts.

across row.

Sts. on Needle:

65 Sts. 68 Sts. 71 Sts. 74 Sts. 77 Sts.

Next row start Jiffy Garter St. as on Back. Work even for 1 inch, decrease 1 St. at front edge, then every 4th row

33 times 33 times 35 times 35 times 37 times

more and at the same time when work measures same as Back to underarm,

To Shape Armhole: Decrease 1 St. at side edge, then every inch

6 times 6 times 7 times 7 times 8 times

more.

When armhole measures same as at Back,

To Shape Shoulder: Bind off

8 Sts. 9 Sts. 9 Sts. 10 Sts. 10 Sts.

at armhole edge every other row 3 times.

RIGHT FRONT: Work to correspond with Left Front, working decreases at opposite sides and working first set of Buttonholes ¼ inch from start as follows: (Right side of work) Work 4 Sts., bind off 2 Sts., work 22 Sts., bind off 2 Sts., work to end of row. Next row cast on 2 Sts. over the bound-off Sts. Work 2 more sets of Buttonholes 1¾ inches apart.

Sew shoulder and underarm seams.

EDGE: Starting at lower right front edge, work 1 row of Slip St. at front edges and across back of neck, break yarn and fasten. **Row 2**—Join yarn at right front edge, *Ch.3, skip 1 St., Slip St. in back loop of next St., repeat from * around.

Work same Edge around armholes.

Another Famous Product — Lees Carpets

Number 8310

QUICK-KNIT STOLE

Size about 18″ x 58″ (as shown on page 12)
Original made of Minerva Knitting Worsted—Color: Sunset Rust

MATERIALS REQUIRED:

Minerva Knitting Worsted (4 ounce skein)
4 Skeins

—OR—

Minerva Afghan Germantown (2 ounce skein)
5 Skeins

Knitting Needles: 1 Pair "Boye" Size 9—14 inch

Gauge: 11 Sts. to 2 inches

Cast on 98 Sts. Work in Pattern St. as follows:
Row 1—K.2, *slip 1 as if to P., K.1, P.S.S.O., Y.O., repeat from * across, ending K.2.
Repeat this row until Stole measures 58 inches, bind off.

FRINGE: Wind yarn over 4 inch cardboard. Cut loops at one side. Using 2 strands and 4 strands alternately, double and knot fringe in every other St. across each end.

Number 8311

QUICK-KNIT BOLERO

Sizes 12, 14 and 16 (as shown on page 12)
Original made of Minerva Sparkletone Rug Yarn—Color: Aqua

MATERIALS REQUIRED:

Minerva Sparkletone Rug Yarn (2 ounce skein)

Size 12	**Size 14**	**Size 16**
12 Skeins	12 Skeins	15 Skeins

Knitting Needles: 1 Pair "Boye" Wooden Needles Size 15—14 inch

Gauge: 2 Sts. to 1 inch
3 rows to 1 inch

1 "Boye" Non-Inflammable Plastic Crochet Hook "H" (Size 6)

Use 3 strands of yarn throughout.

SIZES:	**12**	**14**	**16**

Starting at lower edge of Back, with 3 strands of yarn cast on

35 Sts.	37 Sts.	39 Sts.

Work in Moss St. (K.1 St., P.1 St.) for 9 rows, then cast on 3 Sts. at end of each of the next

18 rows	18 rows	20 rows

27 Sts.	27 Sts.	30 Sts.

cast on each side for Sleeves.

Sts. on Needle:

89 Sts.	91 Sts.	99 Sts.

Work even until work measures

13″	13″	14″

from start (measured at center of Back).

To Shape Neck: Bind off 9 Sts. at center (slip Sts. of one Sleeve and Shoulder on St. Holder), work other side even for 4 rows. Place a marker at cuff edge for center of Sleeve, then work Front as follows: Work even until cuff edge measures same as at Back, bind off 3 Sts. at cuff edge every other row

9 times	9 times	10 times

Sts. on Needle:

13 Sts.	14 Sts.	15 Sts.

Work even for 9 rows, bind off loosely in Moss St.

Work other Sleeve and Shoulder to correspond.

Sew underarm and sleeve seams.

BORDER: On right side of work, starting at left underarm seam, with three strands of yarn work 4 rows of S.C. around entire edge of Bolero, increasing at lower front corners and decreasing at neck edge (each side of Back) to keep Border flat.

Work 4 rows of S.C. around cuff edge to measure

10″	10″	11″

working last row over round elastic.

Face crocheted Border with 2 inch grosgrain ribbon (mitering at corners).

● Left, CIRCULAR SHAWL, No. 8313. Instructions on page 18.

● Below, TUBULAR PULLOVER, No. 8314. Instructions on page 18.

TOWN and COUNTRY SUIT

No. 8315. Gray Mist, Scarlet and White Sports Yarn. Instructions on page 18.

Number 8313

CIRCULAR SHAWL

Size 40″ in diameter (as shown on page 16)
Original made of Minerva Velveen
Color: White, trimmed with Felt Flowers

MATERIALS REQUIRED:

Minerva Velveen (1 ounce ball)
5 Balls

1 "Boye" Non-Inflammable Plastic Crochet Hook "I" (Size 8)

Gauge: 1 Pattern to 1¼ inches
1 row to 1 inch

Starting at center, Ch.6, slip St. to first Ch. to form ring.
Row 1—Ch.4, 1 D.C. in ring, *Ch.1, 1 D.C. in ring, repeat from * **9** times more, Ch.1, slip St. to 3rd Ch. at start (12 loops).
Row 2—Ch.6, 1 S.C. in first loop, *Ch.3, 1 S.C. in same loop (Picot), Ch.6, 1 S.C. in next loop, repeat from * around, ending Ch.6, 1 S.C. in first loop at start of row, Ch.3, 1 S.C. in same loop. Continue to work around in this manner, increasing 4 times in each row by working 1 extra loop and Picot in the Ch.3 loop of a Picot (but do not have increases come over increases of previous row) until all the yarn is used.

Fold over to have top part slightly shorter than the lower part, sew very lightly.
Trim top edge with cut-out Felt Flowers as illustrated.

Number 8314

TUBULAR PULLOVER

Sizes 12, 14 and 16 (as shown on page 16)
Original made of Minerva Velveen—Color: Black

MATERIALS REQUIRED:

Minerva Velveen (1 ounce ball)

Size 12	Size 14	Size 16
10 Balls	11 Balls	12 Balls

—OR—

Minerva Monterey (1 ounce skein)

Size 12	Size 14	Size 16
12 Skeins	14 Skeins	15 Skeins

Knitting Needles: 1 "Boye" Circular Needle Size 2—29 inch

Gauge: 9 Sts. to 1 inch (Ribbing slightly stretched)

SIZES:	**12**	**14**	**16**

Starting at lower edge, cast on

300 Sts.	308 Sts.	316 Sts.

Join, being careful not to twist Sts. Work in Ribbing of K.2, P.2, for 11 inches from start.
Next row work over

150 Sts.	154 Sts.	158 Sts.

turn. Work back and forth on these Sts. for 7 inches (for armholes), break yarn. Work remaining

150 Sts.	154 Sts.	158 Sts.

the same, then work around on all Sts. for 9 inches. Bind off in Ribbing.

Turn down or roll Collar as desired.

Number 8315

TOWN AND COUNTRY SUIT

Sizes 12, 14, 16 and 18 (as shown on page 17)
Original made of Minerva Sports Yarn—Color 1: Gray Mist
Color 2: White
Color 3: Scarlet

MATERIALS REQUIRED:

Minerva Sports Yarn (2 ounce ball)

	Size 12	Size 14	Size 16	Size 18
Skirt:				
Color 1	6 Balls	6 Balls	6 Balls	7 Balls
Jacket:				
Color 1	4 Balls	4 Balls	5 Balls	5 Balls
Color 2	3 Balls	3 Balls	4 Balls	5 Balls
Color 3	1 Ball	1 Ball	1 Ball	1 Ball

—OR—

Minerva Fingering Yarn (1 ounce ball)

	Size 12	Size 14	Size 16	Size 18
Skirt:				
Color 1	11 Balls	11 Balls	11 Balls	13 Balls
Jacket:				
Color 1	8 Balls	8 Balls	9 Balls	9 Balls
Color 2	6 Balls	6 Balls	8 Balls	9 Balls
Color 3	1 Ball	1 Ball	1 Ball	1 Ball

Knitting Needles: 1 Pair "Boye" Size 3—14 inch

Gauge: 8 Sts. to 1 inch

1 "Boye" Steel Crochet Hook Size 2
1 "Boye" Blunt End Tapestry Needle (for weaving)

PATTERN STITCH: (Even number of Sts.)
Row 1—K. (right side of work).
Row 2—*K.1, P.1, repeat from * across row.
Row 3—K.
Row 4—*P.1, K.1, repeat from * across row.
Repeat these 4 rows for Pattern.

SIZES:	**12**	**14**	**16**	**18**

SKIRT—BACK: With Color 1 cast on

184 Sts.	192 Sts.	200 Sts.	208 Sts.

Work in Stockinette St. for 1 inch, then K.1 row on wrong side of work for turn of hem.
Change to Pattern St. and work even for 3 inches (for 30 inch Skirt—for longer or shorter Skirt make adjustments here). Decrease 1 St. each side, then every inch 23 times (being careful to keep Pattern even).
Sts. on Needle: (26 inches from turn of hem)

136 Sts.	144 Sts.	152 Sts.	160 Sts.

Decrease 1 St. each side every ½ inch 6 times.
Sts. on Needle:

124 Sts.	132 Sts.	140 Sts.	148 Sts.

When work measures 30 inches (or desired length) from turn of hem, bind off.

FRONT: Cast on

176 Sts.	184 Sts.	192 Sts.	200 Sts.

Work hem and decreases same as Back of Skirt.
Sts. on Needle: (29 inches from start)

116 Sts.	124 Sts.	132 Sts.	140 Sts.

When work measures same as at Back, bind off.

Sew side seams, leaving 7 inches open at left side for placket. Cut Skirt Belting to desired waist measurement (to be fastened with hooks and eyes). Sew Skirt to top edge of Belting. Sew slide fastener in placket. Turn up hem and sew.

The crosslines are worked after the Jacket is completed.
JACKET—BACK: With Color 1 cast on

128 Sts.	136 Sts.	144 Sts.	152 Sts.

Work in Stockinette St. for 1 inch, then K.1 row on wrong side of work for turn of hem.
Work in Pattern St. as on Skirt, *working Rows 1 and 2 with Color 2 and Rows 3 and 4 with Color 1, repeat from * for entire Jacket, except the Collar.
Work even for 1 inch, decrease 1 St. each side, then every ¾ inch 6 times more.
Sts. on Needle:

114 Sts.	122 Sts.	130 Sts.	138 Sts.

When work measures 8 inches from turn of hem, increase 1 St. each side, then every ½ inch 10 times more.
Sts. on Needle:

136 Sts.	144 Sts.	152 Sts.	160 Sts.

When work measures

14½"	15"	15"	15½"

from turn of hem, or desired length,
To Shape Armholes: Bind off 5 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

7 times	7 times	10 times	11 times

Sts. on Needle:

112 Sts.	120 Sts.	122 Sts.	128 Sts.

When armholes measure

8½"	9"	9"	9"

(measured straight from bound-off Sts. at underarm),
To Shape Shoulders: Bind off

14 Sts.	15 Sts.	15 Sts.	16 Sts.

at beginning of each of the next 4 rows, then

11 Sts.	12 Sts.	13 Sts.	13 Sts.

at beginning of next 2 rows. Bind off remaining Sts. for back of neck.

LEFT FRONT: With Color 1 cast on

72 Sts.	76 Sts.	80 Sts.	84 Sts.

Work hem same as on Back, then work in Pattern St. Work even for 1 inch, decrease 1 St. at side edge, then every ¾ inch 6 times more.
Sts. on Needle:

65 Sts.	69 Sts.	73 Sts.	77 Sts.

When work measures 8 inches from turn of hem, increase 1 St. at side edge, then every inch 6 times more.
Sts. on Needle:

72 Sts.	76 Sts.	80 Sts.	84 Sts.

When work measures same as Back to underarm,

(continued on page 35)

Above, TWO-TONE CARDIGAN ENSEMBLE:
No. 8316. Clover Mauve and Beauvais Monterey.
Instructions on page 36.

Opposite page, DAY INTO EVENING DRESS:
No. 8317. Pearl Monterey and Pearl Nylon Ribbon.
Instructions on page 38.

No. 8300 (continued from page 4)

To Shape Shoulder: Bind off

11 Sts.	12 Sts.	13 Sts.	14 Sts.

at armhole edge every other row 3 times, bind off remaining

19 Sts.	20 Sts.	21 Sts.	22 Sts.

for back of neck.

FRONT: Work same as Back (omitting back opening) until armholes measure

5″	5″	5½″	5½″

To Shape Neck: K. across

39 Sts.	43 Sts.	47 Sts.	51 Sts.

slip Sts. on St. Holder, bind off next 26 Sts., on remaining Sts. work Right Shoulder, decreasing 1 St. at neck edge every other row

6 times	7 times	8 times	9 times

When armhole measures same as at Back,
To Shape Shoulder: Bind off

11 Sts.	12 Sts.	13 Sts.	14 Sts.

at armhole edge every other row 3 times.

Work Left Shoulder to correspond.

SLEEVES: Cast on

88 Sts.	88 Sts.	92 Sts.	96 Sts.

Work in Stockinette St. for 12 rows. P.1 row on right side for turn of hem. Work even for 1 inch. Increase 1 St. each side, then every 4th row 5 times more.
Sts. on Needle:

100 Sts.	100 Sts.	104 Sts.	108 Sts.

When Sleeve measures 5 inches (or desired length) from P. row of hem,
To Shape Cap of Sleeve: Bind off 8 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row until 32 Sts. remain, then bind off 2 Sts. at beginning of next 6 rows. Bind off remaining Sts.

COLLAR: (Make 2) Cast on

60 Sts.	60 Sts.	60 Sts.	64 Sts.

work even for 2 inches, P.1 row on right side for fold, then work even for 2 inches, bind off.

BELT: Cast on 12 Sts., work even for

29″	31″	33″	35″

(or desired length). Bind off.

TUBULAR TRIM: (Make 2 pieces) With Size 1 Needles cast on 4 Sts., *K.1, bring yarn forward slip 1, yarn back K.1, yarn forward slip 1, turn.
Repeat from * for

26″	27″	28″	29″

Sew shoulder seams. Sew Sleeves in place. Sew sleeve and underarm seams, leaving 5 inches open at left side for placket. Turn up hem of Sleeves and sew. Fold Collar, sew seam each side, sew Collar to neck edge. Work 1 row of S.C. at back opening. Sew slide fastener in back opening.

Sew trim to Front, 3 inches apart, from waistline to 3 inches from neck edge, then keeping 3 inch spacing, sew around neck to back opening to form Yoke.

Sew 12 Gold Buttons to center of Front 1 inch apart.

Sew Blouse to Skirt, sew slide fastener in placket.

Face Belt with grosgrain Ribbon, turn down corners at one end to form point. Sew straight end to Gold Belt Buckle.

No. 8300A

JACKET: Pattern St. (multiple of 2 Sts.)

With Color 1 cast on Sts., drop Color 1 but do not break strand.

Row 1—Join Color 2, *yarn in back K.1, bring yarn forward and slip next St. as if to purl, repeat from * across row, drop Color 2.

Row 2—Join Color 3, *yarn in front P.1, yarn in back slip 1 as if to purl, repeat from * across row, drop Color 3.

Row 3—Pick up Color 1 and work same as Row 1.

Row 4—Pick up Color 2 and work same as Row 2.

Row 5—Pick up Color 3 and work same as Row 1.

Row 6—Pick up Color 1 and work same as Row 2.

Repeat these 6 rows for Pattern St.

BACK: With Color 1 and Size 2 Needles cast on

132 Sts.	140 Sts.	148 Sts.	156 Sts.

work in Stockinette St. for 12 rows. P.1 row on right side for turn of hem. P.1 row, increasing 10 Sts. across.
Sts. on Needle:

142 Sts.	150 Sts.	158 Sts.	166 Sts.

Change to Size 5 Needles and work in Pattern St. for

10″	10″	10½″	10½″

(or desired length to underarm).

To Shape Armholes: Bind off 8 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 7 times.
Sts. on Needle:

112 Sts.	120 Sts.	128 Sts.	136 Sts.

Work even until armholes measure

7½″	7½″	8″	8½″

(measured straight from bound-off Sts. at underarm).

To Shape Shoulders: Bind off

9 Sts.	10 Sts.	10 Sts.	11 Sts.

at beginning of each of the next 8 rows.
Bind off remaining

40 Sts.	40 Sts.	48 Sts.	48 Sts.

for back of neck.

LEFT FRONT: With Color 1 and Size 2 Needles cast on

44 Sts.	48 Sts.	52 Sts.	56 Sts.

Work in Stockinette St. for 12 rows. P.1 row on right side for turn of hem, cast on 30 Sts. (to front edge). P.1 row, increasing 6 Sts. across row.
Sts. on Needle:

80 Sts.	84 Sts.	88 Sts.	92 Sts.

Change to Size 5 Needles and work in Pattern St. for same length as Back to underarm.

To Shape Armhole: Bind off 8 Sts. at side edge, then decrease 1 St. every other row 7 times.
Sts. on Needle:

65 Sts.	69 Sts.	73 Sts.	77 Sts.

Work even until armhole measures

5½″	5½″	6″	6½″

To Shape Neck: Bind off 17 Sts. at front edge, then 2 Sts. every other row

6 times	6 times	8 times	8 times

Sts. on Needle:

36 Sts.	40 Sts.	40 Sts.	44 Sts.

When armhole measures same as at Back,
To Shape Shoulder: Bind off

9 Sts.	10 Sts.	10 Sts.	11 Sts.

at armhole edge every other row 4 times.

RIGHT FRONT: Work to correspond with Left Front (having increases and decreases at opposite sides).

SLEEVES: With Color 1 and Size 5 Needles cast on

76 Sts.	76 Sts.	80 Sts.	84 Sts.

Work in Pattern St. for 1½ inches even. Increase 1 St. each side, then every ¾ inch 17 times more.
Sts. on Needle:

112 Sts.	112 Sts.	116 Sts.	120 Sts.

Work even until Sleeve measures

17½″	17½″	18″	18″

(or desired length).
To Shape Cap of Sleeve: Bind off 7 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row until 34 Sts. remain. Bind off 2 Sts. at beginning of next 8 rows. Bind off remaining Sts.

FACINGS: With Color 1 and Size 2 Needles cast on 30 Sts. Work in Stockinette St. for 9½ inches. Increase 1 St. at inner edge, then every ½ inch

9 times	9 times	12 times	12 times

more and at the same time when straight edge measures same as front edge of Jacket, shape neck to correspond. Bind off remaining Sts. at Shoulder.

COLLAR: With Color 1 and Size 2 Needles cast on

112 Sts.	112 Sts.	116 Sts.	116 Sts.

Work in Stockinette St., increasing 1 St. each side every 4th row 10 times. P.1 row on right side for fold, then decrease 1 St. each side every 4th row 10 times. Work 3 rows, bind off.

CUFFS: With Color 1 and Size 2 Needles cast on

72 Sts.	72 Sts.	76 Sts.	80 Sts.

Work same as Collar, bind off.

Sew shoulder seams. Sew Sleeves in place, sew underarm and sleeve seams. Sew Facings in place. Turn up hem and sew. Fold Collar, sew seam at each side, sew Collar to neck edge ¾ inch from front edges.
Fold Cuffs and sew seam at each side. Join for 1 inch at narrow edge, then join Cuffs to sleeve edge with 1 row of S.C.
Fasten Jacket at neck edge with 1 loop and Button.
Sew seam binding across Shoulder and back of neck.

No. 8301 (continued from page 5)

more, then work to within

8 D.C.	———	10 D.C.

at end of next

4 rows	———	2 rows

21 D.C.	23 D.C.	27 D.C.

remaining for back of neck.

FRONT: Work same as Back until work measures

7″	7″	7½″

from start.

(continued on page 24)

No. 8301 (continued from page 23)

To Shape Neck Opening: Work to center St., Ch.5, turn and work increases at side edge and decreases at Shoulder to correspond with Back.

Work other side of Front to correspond.

SLEEVE BANDS:

Ch. 103 Ch. 103 Ch. 111

Row 1—Work 1 S.C. in second Ch. from hook, 1 S.C. in each Ch. across, Ch.1, turn.

Row 2—Work 1 S.C. in each St., Ch.1, turn.

Repeat Row 2 for 1 inch. Break yarn and fasten.

Edging: Join yarn at start of foundation Ch., *Ch.3, skip 2 Sts. at side edge, slip St. in next St., repeat from * across side edge of Band. last row of S.C. and at other side of Band. Break yarn and fasten.

FRONT FACING: Ch.27 (for center of Front). Work 26 S.C. across Ch., Ch.1, turn. Work even for 1 inch, then divide Sts. in half and work each side separately, working center edge even and increasing at side edge every 4th row 23 times. When center edge measures same as opening of Front. break yarn and fasten.

COLLAR:

Ch. 66 Ch. 70 Ch. 74

Work same as Sleeve Bands for 1¼ inches. Break yarn and fasten. Work edging around 3 sides of Collar as on Sleeve Bands.

Join edges of Shoulders. Sew underarm seams, leaving 5 inches open at left side for placket. Sew Blouse to Skirt. Work edging around lower edge of Skirt as on Sleeve Bands. Sew slide fastener in placket. Join Facing to wrong side of Front by working edging around front opening.

Sew increased edge of Facing lightly in place. Sew Collar to neck edge 1 inch from front edges. Turn back Facings for Lapels. Sew lightly at corners. Face Sleeve Bands with grosgrain ribbon and sew to sleeve edges. Sew narrow tape across back of neck. Sew grosgrain ribbon to inside of waistline.

BELT: Make Ch. to measure about

29″ 31″ 32″

Work in S.C., increasing 1 St. at one end only every row 7 times, then decrease 1 St. at same edge every row 7 times. Break yarn and fasten. Cover Buckle in S.C. Sew Belt to Buckle. Face Belt with grosgrain ribbon.

Skirt Style III

MEDIUM GRADUATED RIB PANEL

Sizes 12, 14, 16, 18 and 20 (as shown on page 2)

Original made of Minerva Monterey—Color: Miami Beige

MATERIALS REQUIRED:

Minerva Monterey (1 ounce skein)

Size 12	Size 14	Size 16	Size 18	Size 20
13 Skeins	14 Skeins	16 Skeins	18 Skeins	20 Skeins

—OR—

Minerva Velveen (1 ounce ball)

Size 12	Size 14	Size 16	Size 18	Size 20
11 Balls	12 Balls	14 Balls	16 Balls	17 Balls

Knitting Needles: 1 "Boye" Circular Needle Size 3—29 inch

Gauge: 7 Sts. to 1 inch

1 "Boye" Steel Crochet Hook Size 2

SIZES: 12 14 16 18 20

With Circular Needle cast on

350 Sts. 364 Sts. 378 Sts. 392 Sts. 406 Sts.

join, being careful not to twist Sts.

Row 1—*K.7, P.7, repeat from * around.

Repeat Row 1 for 19 inches (for 30 inch Skirt—for shorter or longer Skirt make adjustments here).

Next row decrease

25 Sts. 26 Sts. 27 Sts. 28 Sts. 29 Sts.

by P.2 together in center of every P. rib, then *K.7, P.6, repeat from * around for 1 inch.

Next row decrease

25 Sts. 26 Sts. 27 Sts. 28 Sts. 29 Sts.

by K.2 together in center of every K. rib, then *K.6, P.6, repeat from * around for 2 inches.

Repeat last 2 decreasing rows one time (1 inch apart).

Sts. on Needle: (Hipline—23 inches from start)

250 Sts. 260 Sts. 270 Sts. 280 Sts. 290 Sts.

*K.5, P.5, repeat from * around for 4 inches.

Decrease

25 Sts. 26 Sts. 27 Sts. 28 Sts. 29 Sts.

as before

2 times 2 times 2 times 1 time 1 time

then

*K.4, P.4 *K.4, P.4 *K.4, P.4 *K.5, P.4 *K.5, P.4

repeat from * around until Skirt measures 30 inches (or desired length) from start.

———	———	———	Decrease 20 Sts. around in K. ribs	Decrease 15 Sts. around in K. ribs
Sts. on Needle:				
200 Sts.	208 Sts.	216 Sts.	232 Sts.	246 Sts.

Work even in Ribbing of K.1, P.1, for 1 inch, bind off loosely in Ribbing.

Work Casing for elastic (see Page 41) at inside of Waistband.

Skirt Style IV

WIDE GRADUATED RIB PANEL

Sizes 12, 14, 16, 18 and 20 (as shown on page 2)
Original made of Minerva Velveen—Color: Miami Beige

MATERIALS REQUIRED:

Minerva Velveen (1 ounce ball)

Size 12	Size 14	Size 16	Size 18	Size 20
13 Balls	14 Balls	16 Balls	17 Balls	19 Balls

—OR—

Minerva Monterey (1 ounce skein)

Size 12	Size 14	Size 16	Size 18	Size 20
16 Skeins	17 Skeins	19 Skeins	21 Skeins	23 Skeins

Knitting Needles: 1 "Boye" Circular Needle Size 2—29 inch

Gauge: 8 Sts. to 1 inch

1 "Boye" Steel Crochet Hook Size 2

SIZES: 12 14 16 18 20

Cast on

360 Sts.	360 Sts.	396 Sts.	396 Sts.	432 Sts.

join, being careful not to twist Sts.
Row 1—*K.18, P.18, repeat from * around.
Repeat Row 1 for 17 inches (for 30 inch Skirt—for shorter or longer Skirt make adjustments here).
Next row decrease 1 St. at center of each panel,

20 Sts.	20 Sts.	22 Sts.	22 Sts.	24 Sts.

decreased, then *K.17, P.17, repeat from * around for

2″	3″	2″	3″	2″

decrease as before, then every

2″	3″	2″	3″	2″
2 times	1 time	2 times	1 time	2 times

more.
Sts. on Needle: (Hipline—23 inches from start)

280 Sts.	300 Sts.	308 Sts.	330 Sts.	336 Sts.

When Skirt measures

24½″	24½″	25″	24½″	25″

decrease 1 St. in each panel as before, then every

1½″	1½″	2″	1½″	2″
3 times	3 times	2 times	3 times	2 times

more.
Sts. on Needle:

200 Sts.	220 Sts.	242 Sts.	242 Sts.	264 Sts.

Work even until Skirt measures 30 inches (or desired length) from start.

WAISTBAND: Work in Ribbing of K.1, P.1, decreasing

———	8 Sts.	18 Sts.	———	8 Sts.

across row. Work even for 1½ inches, bind off loosely in Ribbing.

Crochet Casing for elastic (see Page 41) inside of Waistband. Work 1 row of S.C. around lower edge.

Number 8303

STOLE WITH POCKETS

Size 20″ x 64″ (as shown on page 3)
Original made of Minerva Monterey—

Main Color:	White
Color 1:	California Citron
Color 2:	Stuart
Color 3:	Appleberry
Color 4:	Beauvais
Color 5:	California Coral

MATERIALS REQUIRED:

Minerva Monterey (1 ounce skein)
Main Color—13 Skeins
Trim—Colors 1, 2, 3, 4 and 5—1 Skein of each Color

—OR—

Minerva Velveen (1 ounce ball)
Main Color—12 Balls
Trim—Colors 1, 2, 3, 4 and 5—1 Ball of each Color

Glass Beads: About 500 of Color 1
About 300 of Colors 2, 3, 4 and 5

(continued on page 26)

No. 8303 (continued from page 25)



Knitting Needles: 1 Pair "Boye" Size 3—14 inch

Gauge: 7 Sts. to 1 inch

1 "Boye" Steel Crochet Hook Size 2

POCKET FACING: With Main Color cast on 64 Sts. Work even in Stockinette St. for 9 inches, slip Sts. on St. Holder.

Wind 2 balls and 2 bobbins and cut 2 strands of Main Color, 3 bobbins each of Colors 1 and 5, 2 bobbins each of Colors 2, 3 and 4.

STOLE: With Main Color cast on 140 Sts., K.6 rows for Garter St. Border, then work as follows:

Row 1—(Wrong side) K.3, P.134, K.3.

Row 2—K.

Repeat these 2 rows, starting flower design on 4th row as follows:

Main Color K.64, Color 1 K.1, tie on 2nd ball of Main Color K.75. Continue to work flower design from Chart (see above), twisting strands when changing color by picking up the new color from underneath the color being dropped. After design has been completed work all Sts. in Main Color for 3 rows (ending on wrong side). Next row work Pocket as follows: K.38, bind off next 64 Sts. for pocket opening, K.38. On next row work to bound-off Sts., P. across Sts. on St. Holder, work to end of row. Work even with Main Color until work measures 54¾ inches from start. Next row (right side of work) K.38, slip next 64 Sts. on St. Holder (for Pocket Facing), cast on 64 Sts. for Pocket, K. to end of row. Work 3 rows, then working from top of Chart (reversing Pattern), start flower design on next row as follows: Main Color K.67, Color 1 K.1, Main Color K. to end of row. When design has been completed, work 3 rows, then K.6 rows for Garter St. Border, bind off. Slip Sts. from St. Holder and work Facing in Stockinette St. for 9 inches, bind off.

Sew Pocket Facings in place. Work 3 rows of S.C. across pocket openings. Trim flower designs with beads of matching colors as illustrated or desired.

Number 8304

LACEY STOLE

Size about 24″ x 62″ (as shown on page 3)

Original made of Minerva Fingering Yarn—Color: White

MATERIALS REQUIRED:

Minerva Fingering Yarn (1 ounce ball)
10 Balls

—OR—

Minerva Sports Yarn (2 ounce ball)
6 Balls

Knitting Needles: 1 Pair "Boye" Size 9—14 inch

Gauge: 2 Patterns to 1 inch

Cast on 188 Sts. K.4 rows, then work as follows:

Row 1—K. (right side of work).

Row 2—K.4 (Garter St. Border), *P.3 together, increase 2 Sts. in next St. by K.1, P.1, K.1, in same St., repeat from * across to last 4 Sts., K.4.

Row 3—K.

Row 4—K.4, *K.1, P.1, K.1, in next St., P.3 together, repeat from * across to last 4 Sts., K.4.

Repeat these 4 rows for Pattern, working 2 extra rows in Borders every 2 inches to keep Borders flat.

When work measures about 61½ inches from start, ending with Row 4 of Pattern, K.4 rows for Border, bind off.

Numbers 8305, 8305A, 8305B

BOLERO SUIT WITH TWO BLOUSES

Sizes 12, 14, 16 and 18 (as shown on page 6)
Originals made of Minerva Velveen—Colors: Black, White, Gold Thread and Silver Leaf Sequins

MATERIALS REQUIRED:

No. 8305

Minerva Velveen (1 ounce ball)

	Size 12	Size 14	Size 16	Size 18
Skirt	12 Balls	13 Balls	14 Balls	15 Balls
Bolero Jacket	12 Balls	13 Balls	15 Balls	16 Balls
Trim Color	1 Ball	1 Ball	1 Ball	1 Ball

—OR—

Minerva Monterey (1 ounce skein)

	Size 12	Size 14	Size 16	Size 18
Skirt	15 Skeins	16 Skeins	17 Skeins	18 Skeins
Bolero Jacket	15 Skeins	16 Skeins	18 Skeins	19 Skeins
Trim Color	1 Skein	1 Skein	1 Skein	1 Skein

When making Bolero with Monterey, use Velveen for Trim Color to insure easier weaving.

Knitting Needles: 1 "Boye" Circular Needle Size 2—29 inch
1 Pair "Boye" Size 2—14 inch

Gauge: 8 Sts. to 1 inch

1 "Boye" Steel Crochet Hook Size 4
1 "Boye" Blunt End Tapestry Needle (for weaving design on Bolero)

No. 8305A BLOUSE

Minerva Velveen (1 ounce ball)

Size 12	Size 14	Size 16	Size 18
10 Balls	11 Balls	11 Balls	12 Balls

—OR—

Minerva Monterey (1 ounce skein)

Size 12	Size 14	Size 16	Size 18
12 Skeins	13 Skeins	13 Skeins	14 Skeins

—AND—

Gold Thread (75 yard skein)

Size 12	Size 14	Size 16	Size 18
2 Skeins	2 Skeins	2 Skeins	2 Skeins

Knitting Needles: 1 Pair "Boye" Size 2—14 inch

Gauge: 8 Sts. to 1 inch

1 "Boye" Steel Crochet Hook Size 4

No. 8305B BLOUSE

Minerva Velveen (1 ounce ball)

Size 12	Size 14	Size 16	Size 18
8 Balls	9 Balls	10 Balls	11 Balls

—OR—

Minerva Monterey (1 ounce skein)

Size 12	Size 14	Size 16	Size 18
10 Skeins	11 Skeins	12 Skeins	13 Skeins

About 70 Silver Leaf Sequins

Knitting Needles: 1 Pair "Boye" Size 2—14 inch

Gauge: 8 Sts. to 1 inch

1 "Boye" Steel Crochet Hook Size 4

SIZES: 12 14 16 18

No. 8305 SKIRT: (Worked with 2 slits) Starting at lower edge, with Straight Needles cast on

160 Sts. 170 Sts. 180 Sts. 190 Sts.

Work in Stockinette St. for 4 inches, lay work aside. With Circular Needle cast on same number of stitches and work back and forth in Stockinette St. same length (for slit Skirt). Slip first piece on Circular Needle and join.
Sts. on Needle:

320 Sts. 340 Sts. 360 Sts. 380 Sts.

K. around with Circular Needle for 3 inches (for 30 inch Skirt—for shorter or longer Skirt make adjustments here).
Next row decrease 10 Sts. by *K.2 together,

K.30 K.32 K.34 K.36

repeat from * around, placing a marker in each decrease. K. even for 4 inches, then decrease 1 St. over each of the 10 markers, then decrease 10 Sts. every 4 inches 3 times more.
Sts. on Needle: (Hipline—23 inches from start)

270 Sts. 290 Sts. 310 Sts. 330 Sts.

Decrease 10 Sts. every inch 5 times, then every ½ inch

2 times 3 times 3 times 3 times

Sts. on Needle:

200 Sts. 210 Sts. 230 Sts. 250 Sts.

When Skirt measures 30 inches (or desired length), bind off.

Work 2 rows of S.C. around lower edge, slits, and top edge of Skirt, then crochet Casing for elastic (see Page 41) inside of waistline.

No. 8305 BOLERO: The entire Bolero is worked in Moss St. (see Page 41); the Crosslines, in Trim Color, are woven through P. Sts. after the work is completed.

BACK: Cast on

129 Sts. 137 Sts. 145 Sts. 153 Sts.

(continued on page 28)

No. 8305 (continued from page 27)

Work in Moss St. for
8″ 8″ 8″ 8½″

(or desired length to underarm).
To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row
6 times 6 times 6 times 8 times

Sts. on Needle:
105 Sts. 113 Sts. 121 Sts. 125 Sts.

Work even until armholes measure
7½″ 7½″ 8″ 8″

(measured straight from bound-off Sts. at underarm).

To Shape Shoulders: Bind off
12 Sts. 13 Sts. 14 Sts. 14 Sts.

at beginning of each of the next 6 rows, bind off remaining Sts. for back of neck.

RIGHT FRONT: Cast on
73 Sts. 77 Sts. 81 Sts. 85 Sts.

Work in Moss St. same length as Back to underarm.

To Shape Armhole: Bind off 6 Sts. at side edge, then decrease 1 St. every other row
6 times 6 times 6 times 8 times

Sts. on Needle:
61 Sts. 65 Sts. 69 Sts. 71 Sts.

When front edge measures
14″ 14″ 14½″ 14½″

To Shape Neck: Bind off 14 Sts. at front edge, then decrease 1 St. every row
11 times 12 times 13 times 15 times

When armhole measures same as at Back,
To Shape Shoulder: Bind off
12 Sts. 13 Sts. 14 Sts. 14 Sts.

at armhole edge every other row 3 times.

Work Left Front to correspond.

SLEEVES: Cast on
105 Sts. 105 Sts. 113 Sts. 113 Sts.

Work in Moss St. for 13 inches (or desired length for ¾ Sleeve).
To Shape Cap of Sleeve: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row until 29 Sts. remain. Bind off 2 Sts. at beginning of each row 8 times. Bind off remaining Sts.

COLLAR: Cast on
91 Sts. 95 Sts. 95 Sts. 99 Sts.

Work in Moss St. for 2 inches, bind off.

CROSSLINES: Thread Tapestry Needle with Trim Color Yarn. Draw yarn through P. Sts. in diagonal lines in one direction, skipping 6 P. Sts. between lines, then work in same manner in opposite direction. Do not weave 2 inches at lower edge of Sleeves (turn-back Cuffs) or Collar.

Sew shoulder seams, sew Sleeves in place, sew underarm and sleeve seams. Sew Collar around neck edge 1½ inches from front edges. Turn back 2 inches at lower edge of Sleeves for Cuffs.

No. 8305A

BLOUSE—BACK: Cast on
109 Sts. 117 Sts. 125 Sts. 133 Sts.

Work in Stockinette St., decreasing 1 St. each side every ¾ inch 4 times.
Sts. on Needle:
101 Sts. 109 Sts. 117 Sts. 125 Sts.

When work measures 4 inches from start, increase 1 St. each side, then every ½ inch 13 times more.
Sts. on Needle:
129 Sts. 137 Sts. 145 Sts. 153 Sts.

When work measures
12″ 12″ 12½″ 13″

from start (or desired length to underarm),
To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 8 times.
Sts. on Needle:
101 Sts. 109 Sts. 117 Sts. 125 Sts.

When armholes measure 3 inches (measured straight from bound-off Sts. at underarm), divide Sts. for back opening. Decrease 1 St. at center, then work each side separately until armhole measures
7″ 7½″ 7½″ 8″

To Shape Shoulder: Bind off
11 Sts. 12 Sts. 13 Sts. 14 Sts.

at armhole edge every other row 3 times, then bind off remaining
17 Sts. 18 Sts. 19 Sts. 20 Sts.

for back of neck.

FRONT: Work same as Back until work measures

8½″	8½″	9″	9½″

(measured at center), then start Yoke Pattern as follows:

(Carry unused strand loosely across back of Pattern St.)

Row 1—K. to 3 center Sts., join Gold strand and K.3 center Sts. with Gold, drop Gold strand, K. to end of row.

Row 2—P. across, K.3 center Sts. with Gold.

Row 3—K. to center St., with yarn in back slip the Gold center St., K. to end of row.

Row 4—P. across, with yarn in front slip the Gold center St. (1 Gold Pattern at center).

Row 5—K. across to 3 Sts. from center Pattern, with Gold K.3, Main Color K.3, Gold K.3, K. to end of row.

Row 6—P. to first Pattern, K.3 with Gold, Main Color P.3, K.3 with Gold, P. to end of row.

Row 7—K. to first center Gold St., yarn in back slip this St., K.5, slip next center Gold St., K. to end of row.

Row 8—P. across, slip the 2 Gold Sts. (2 Gold Patterns).

Continue to work 1 Gold Pattern more every 4th row in this manner and when work measures same as Back to underarm,

To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

8 times	9 times	7 times	8 times

When armholes measure

5″	5½″	5½″	6″

(ending on 4th row of Pattern St.),
Sts. on Needle:

101 Sts.	107 Sts.	119 Sts.	125 Sts.

To Shape Neck: Work across

39 Sts.	42 Sts.	46 Sts.	49 Sts.

slip these Sts. on St. Holder, bind off next

23 Sts.	23 Sts.	27 Sts.	27 Sts.

On remaining Sts. work Right Shoulder, continuing Pattern St. and decreasing 1 St. at neck edge every other row

6 times	6 times	7 times	7 times

When armhole measures same as at Back,
To Shape Shoulder: Bind off

11 Sts.	12 Sts.	13 Sts.	14 Sts.

every other row 3 times.

Work Left Shoulder to correspond.

SLEEVES: Cast on

82 Sts.	86 Sts.	86 Sts.	90 Sts.

Work in Stockinette St., increasing 1 St. each side every 4th row 5 times.
Sts. on Needle:

92 Sts.	96 Sts.	96 Sts.	100 Sts.

When Sleeve measures

2½″	2½″	3″	3″

To Shape Cap of Sleeve: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row until 40 Sts. remain, then every row until 20 Sts. remain. Bind off.

Sew shoulder seams. Sew Sleeves in place, sew underarm and sleeve seams. Work 2 rows of S.C. around all edges. Sew slide fastener in back opening.

No. 8305B

BLOUSE—BACK: Starting at lower edge, cast on

112 Sts.	120 Sts.	128 Sts.	136 Sts.

Work in Stockinette St. for 4 rows, P.1 row on right side for turn of hem. Continue in Stockinette St., decreasing 1 St. each side every ½ inch 4 times. When work measures 3 inches from P. row of hem, place a marker for waistline, then increase 1 St. each side every ¾ inch 12 times.
Sts. on Needle:

128 Sts.	136 Sts.	144 Sts.	152 Sts.

When work measures 11½ inches from P. row of hem (or desired length to underarm),
To Shape Armholes: Bind off 4 Sts. at beginning of each of the next 2 rows, then 2 Sts. at beginning of next 6 rows.
Sts. on Needle:

108 Sts.	116 Sts.	124 Sts.	132 Sts.

Divide Sts. for back opening as follows: K.

54 Sts.	58 Sts.	62 Sts.	66 Sts.

slip these Sts. on St. Holder, then work Left Side, decreasing 1 St. at armhole edge every other row 6 times and at neck edge every inch 10 times (by K. the 2nd and 3rd Sts. together) and at the same time when armhole measures 8 inches (measured straight from bound-off Sts. at underarm),
To Shape Shoulder: Bind off

8 Sts.	9 Sts.	10 Sts.	11 Sts.

at armhole edge every other row 2 times, then 2 Sts. every other row

11 times	12 times	13 times	14 times

(all Sts. are worked off).
Work Right Side to correspond.

Facing for Back: Cast on

128 Sts.	136 Sts.	144 Sts.	152 Sts.

(continued on page 30)

No. 8305B (continued from page 29)

Work even for 1 inch (to underarm). Bind off 4 Sts. at beginning of the next 2 rows, then 2 Sts. at beginning of next 6 rows. Divide Sts. for back opening, then work each side separately to correspond with Back.

LEFT FRONT: Cast on

64 Sts. 68 Sts. 72 Sts. 76 Sts.

Work hem as on Back, then decrease 1 St. at side edge every ½ inch 4 times. When work measures 3 inches from P. row of hem, place marker for waistline, then increase 1 St. at side edge every ¾ inch 12 times.

Sts. on Needle:

72 Sts. 76 Sts. 80 Sts. 84 Sts.

When work measures same as Back to underarm,

To Shape Armhole: Bind off 4 Sts. at side edge, then 2 Sts. every other row 3 times.

Sts. on Needle:

62 Sts. 66 Sts. 70 Sts. 74 Sts.

To Shape Neck: Bind off 8 Sts. at front edge, then decrease at neck edge and armhole and bind off Shoulder to correspond with Back.

Place markers for 5 Buttons ¾ inch in from front edge (first marker 3½ inches from P. row of hem).

RIGHT FRONT: Work to correspond with Left Front, working Buttonholes to correspond with markers as follows: K.3, bind off 2 Sts., K. to end of row. On next row cast on 2 Sts. over the bound-off Sts.

Facing for Fronts: Cast on

72 Sts. 76 Sts. 80 Sts. 84 Sts.

Work even for 1 inch to underarm, working Buttonhole to correspond with Right Front.

To Shape Armhole: Bind off 4 Sts. at side edge, then 2 Sts. every other row 3 times.

To Shape Neck: Bind off 8 Sts. at front edge, then decrease armhole, neck edge and bind off Shoulder to correspond with Front.

Sew shoulder seams for 2 inches from armhole edge. Sew underarm seams. Join facings in same manner. Baste Facing in place, then work 1 row of Slip St. around all double edges. Face front edges with grosgrain ribbon, working around Buttonholes. Turn up hem and sew.

EDGE: Join yarn at neck edge of Right Front, *Ch.3, skip 1 St., Slip St. in next St., repeat from * across right neck edge and Shoulder, back opening, Left Shoulder and neck edge. Work in same manner around armholes.

Sew Sequins in place as illustrated (about 2½ inches apart). Draw elastic thread through Sts. inside of waistline.

Number 8306

RIBBON AND YARN BLOUSE

Sizes 12, 14, 16 and 18 (as shown on page 7)

Original made of Minerva Velveen—Color: White
and Minerva Nylon Ribbon—Color: Chartreuse

MATERIALS REQUIRED:

Minerva Velveen (1 ounce ball)

Size 12	Size 14	Size 16	Size 18
8 Balls	9 Balls	11 Balls	13 Balls

—OR—

Minerva Monterey (1 ounce skein)

Size 12	Size 14	Size 16	Size 18
10 Skeins	11 Skeins	13 Skeins	16 Skeins

AND

Minerva Nylon Ribbon (100 yard spool)

Size 12	Size 14	Size 16	Size 18
3 Spools	3 Spools	4 Spools	5 Spools

Knitting Needles: 1 Pair "Boye" Size 2—14 inch

Gauge: 8 Sts. to 1 inch

1 "Boye" Steel Crochet Hook Size 2

PATTERN STITCH: (Multiple of 3 Sts.)

Row 1—(Wrong side) *With yarn P.3, place ribbon over needle from underneath very loosely to form loop, repeat from * across (carrying ribbon loosely across wrong side), P.3.

Row 2—*Yarn K.3, slip the ribbon loop (as if to P.), repeat from * across, K.3.

Row 3—*Yarn P.3, slip ribbon loop, repeat from * across, P.3.

Row 4—Same as Row 2.

Row 5—*Slip the ribbon loop over the first 3 yarn Sts., then P. these 3 Sts., repeat from * across, P.3.

Row 6—*Yarn K.3, ribbon over needle, repeat from * across, K.3.

Row 7—*Yarn P.3, slip ribbon loop, repeat from * across, P.3.

Row 8—*Yarn K.3, slip ribbon loop, repeat from * across, K.3.

Row 9—Same as Row 7.

Row 10—*Slip the ribbon loop over the first 3 yarn Sts., then K. these 3 Sts., repeat from * across, K.3.

Repeat Pattern from Row 1.

SIZES: 12 14 16 18

BACK: With yarn cast on

114 Sts. 120 Sts. 126 Sts. 132 Sts.

Work in Stockinette St. for 1 inch, P.1 row on right side for turn of hem. Join ribbon and work in Pattern, decreasing 1 St. each side every 1 inch 5 times.
Sts. on Needle:

104 Sts.	110 Sts.	116 Sts.	122 Sts.

Place marker for waistline and when work measures 6 inches from P. row of hem, increase 1 St. each side, then every ½ inch

11 times	12 times	13 times	14 times

more.
Sts. on Needle:

128 Sts.	136 Sts.	144 Sts.	152 Sts.

When work measures

13½″	13½″	14″	14″

(or desired length) from P. row of hem,
To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then 2 Sts. at beginning of next 2 rows, then decrease 1 St. each side every other row 8 times.
Sts. on Needle:

96 Sts.	104 Sts.	112 Sts.	120 Sts.

When armholes measure

7½″	7½″	8″	8″

(measured straight from bound-off Sts. at underarm),
To Shape Shoulders: Bind off

11 Sts.	12 Sts.	13 Sts.	14 Sts.

at beginning of each of the next 6 rows, bind off remaining

30 Sts.	32 Sts.	34 Sts.	36 Sts.

LEFT FRONT: With yarn cast on

65 Sts.	68 Sts.	71 Sts.	74 Sts.

Work in Stockinette St. for 1 inch, P.1 row on right side, casting on 9 Sts. at end of row for Facing.

Next row work as follows: With yarn P.8 (Facing), K.1, P.8 (Front Border), work Row 1 of Pattern to end of row.

Next row: Work Row 2 of Pattern to last 17 Sts., with yarn K.8, P.1, K.8.

Continue in this manner, decreasing 1 St. at side edge every inch 5 times. When work measures 6 inches from P. row of hem, increase 1 St. at side edge, then every ½ inch

11 times	12 times	13 times	14 times

more.
Sts. on Needle:

81 Sts.	85 Sts.	89 Sts.	93 Sts.

When work measures same as Back to underarm,
To Shape Armhole: Bind off 6 Sts. at side edge, then 2 Sts. at same edge, then decrease 1 St. every other row 8 times.
Sts. on Needle:

65 Sts.	69 Sts.	73 Sts.	77 Sts.

When armhole measures

5″	5″	5½″	5½″

(measured straight from bound-off Sts. at underarm),
To Shape Neck: Bind off 17 Sts. at front edge, then 2 Sts. at same edge every other row

3 times	3 times	3 times	4 times

then decrease 1 St. every other row

9 times	10 times	11 times	10 times

Sts. on Needle:

33 Sts.	36 Sts.	39 Sts.	42 Sts.

When armhole measures same as at Back,
To Shape Shoulder: Bind off

11 Sts.	12 Sts.	13 Sts.	14 Sts.

at armhole edge every other row 3 times.

Place markers for 6 Buttons at front edge, having first marker at waistline and last marker ¾ inch from neck edge.

RIGHT FRONT: Work to correspond with Left Front, casting on 9 Sts. on last row of hem for Facing. P.1 row on right side for turn of hem, then work as follows:
Row 1—Work Row 1 of Pattern to last 17 Sts., with yarn P.8, K.1, P.8.
Row 2—Yarn K.8, P.1, K.8, work Row 2 of Pattern to end of row.
Work Double Buttonholes to correspond with markers as follows: K.3 Sts., bind off 3 Sts., K.2, P.1, K.2, bind off 3 Sts., work to end of row. Next row cast on 3 Sts. over the bound-off Sts.

SLEEVES: With yarn cast on

75 Sts.	78 Sts.	81 Sts.	84 Sts.

K.1 row, then work in Pattern, increasing 1 St. each side every other row 11 times.
Sts. on Needle:

97 Sts.	100 Sts.	103 Sts.	106 Sts.

When work measures

3″	3″	3½″	3½″

from start,
To Shape Cap of Sleeve: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

25 times	24 times	28 times	27 times

then bind off 2 Sts. at beginning of each of the next

4 rows	6 rows	4 rows	6 rows

(continued on page 32)

No. 8306 (continued from page 31)

Bind off remaining Sts.

COLLAR: With yarn cast on

87 Sts.	87 Sts.	90 Sts.	90 Sts.

K.1 row, then work in Pattern for 20 rows.
Next row (wrong side of work) with yarn only P., then pick up and P.16 Sts. at side of Collar. K.1 row, picking up and K.16 Sts. at other side of Collar.
Next row P.16, increase 2 Sts. in next St. (by K.1, P.1, K.1, in 1 St.),

P.85	P.85	P.88	P.88

increase 2 Sts. in next St., P. to end of row.
Continue in Stockinette St. until Border measures ¾ inch, bind off.

CUFFS: With yarn cast on

75 Sts.	78 Sts.	81 Sts.	84 Sts.

K.1 row, then work in Pattern St. for 20 rows. Pick up Sts. each side, increase and work Border same as Collar.

Sew shoulder seams. Sew Sleeves in place. Sew underarm and sleeve seams. Turn up hem at lower edge and sew. Turn Facings under and sew. Sew around Buttonholes. Sew Collar to neck edge ½ inch from front edges. Sew Cuffs to Sleeves, having opening opposite seam. Draw elastic thread through back of Sts. at waistline. Work 1 row of S.C. on wrong side, around Collar and Cuffs.

BUTTONS: With ribbon cover 6 small Buttons in S.C.

Number 8307

DAY OR NIGHT BOLERO

Sizes 12, 14, 16 and 18 (as shown on page 7)
Original made of Minerva Nylon Ribbon—Color: White

MATERIALS REQUIRED:

Minerva Nylon Ribbon (100 yard spool)

Size 12	**Size 14**	**Size 16**	**Size 18**
5 Spools	6 Spools	7 Spools	8 Spools

Knitting Needles: 1 Pair "Boye" Size 10—14 inch

Gauge: 4 Sts. to 1 inch
5 rows to 1 inch

1 "Boye" Steel Crochet Hook Size 0

SIZES: 12 14 16 18

BACK: Cast on

64 Sts.	68 Sts.	72 Sts.	76 Sts.

Work in Pattern St. as follows:
Row 1—K. (right side of work).
Row 2—*P.3 together, increase 2 Sts. in next St. by K.1, P.1, K.1, in same St., repeat from * across.
Row 3—K.
Row 4—*K.1, P.1, K.1, in first St., P.3 together, repeat from * across. Repeat these 4 rows for Pattern. Work even for 1½ inches, increase 1 St. each side, then every other row 19 times more (work the increased Sts. in Stockinette St. until there are 4 Sts. added each side to make a Pattern).
Sts. on Needle:

104 Sts.	108 Sts.	112 Sts.	116 Sts.

When work measures

11″	11″	11½″	11½″

from start (measured straight),
To Shape Sleeves and Shoulders: (Always work first and last Pattern in Stockinette St. to simplify decreasing) Decrease 1 St. each side, then every other row

7 times	7 times	8 times	9 times

more, then bind off 2 Sts. at beginning of each of the next

6 rows	6 rows	4 rows	4 rows

6 Sts. at beginning of next

6 rows	10 rows	6 rows	4 rows

then

5 Sts.	——	7 Sts.	7 Sts.

at beginning of next

4 rows	——	4 rows	6 rows

Bind off remaining Sts. for back of neck.

LEFT FRONT: Cast on

32 Sts.	36 Sts.	40 Sts.	44 Sts.

Work in Pattern St. as on Back for 1½ inches, increase 1 St. at side edge, then every other row

21 times	19 times	17 times	15 times

more.
Sts. on Needle:

54 Sts.	56 Sts.	58 Sts.	60 Sts.

When work measures

11″	11″	11½″	11½″

from start,

To Shape Sleeve, Shoulder and Neck: Decrease 1 St. at side edge, then every other row

7 times	7 times	8 times	9 times

more, then bind off 2 Sts. at same edge every other row

3 times	3 times	2 times	2 times

6 Sts. every other row

3 times	5 times	3 times	2 times

then

5 Sts.	———	7 Sts.	7 Sts.
2 times	———	2 times	3 times

at the same time when front edge measures

14½″	14½″	15″	15″

from start,

To Shape Neck: Bind off 8 Sts. at front edge (slip the St. back on left hand needle), then decrease 1 St. every other row

4 times	4 times	5 times	5 times

RIGHT FRONT: Work to correspond with Left Front, having increases and decreases at opposite sides.

COLLAR: Cast on

44 Sts.	44 Sts.	48 Sts.	48 Sts.

Work in Pattern St., increasing 1 St. each side every other row 4 times.

Sts. on Needle:

52 Sts.	52 Sts.	56 Sts.	56 Sts.

When work measures 3 inches from start, bind off.

Sew sleeve and shoulder seams. Sew underarm seams for 6 inches from lower edge. Sew Collar to neck edge. Tape shoulder seams. Work 1 row of Slip St. around all edges, then work as follows: *Ch.1, 1 Slip St. in next St., repeat from * around. Crochet a loop for Buttonhole at neck edge.

No. 8308 (continued from page 8)

then

9 Sts.	9 Sts.	10 Sts.	10 Sts.	———
6 times	2 times	6 times	3 times	———

Work Left Front to correspond.

BACK: Work to correspond with Front, dividing Sts. for back opening ½ inch from start, join another ball of yarn and work each side at the same time (omitting neck opening). After binding off Sleeves and Shoulders, bind off remaining Sts. for back of neck.

COLLAR: (Make 2) Cast on

60 Sts.	60 Sts.	62 Sts.	62 Sts.	64 Sts.

Work Cable Pattern each side as follows:

Row 1—P.1, K.4, P.1,

K.48	K.48	K.50	K.50	K.52

P.1, K 4. P.1.

Row 2—K.1, P.4, K.1,

P.48	P.48	P.50	P.50	P.52

K.1, P.4, K.1.

Row 3—P.1, slip next 2 Sts. on Cable Needle hold in back of work, K. next 2 Sts., then K. the 2 Sts. from Cable Needle, P.1,

K.48	K.48	K.50	K.50	K.52

P.1, twist Cable, P.1.

Row 4—Same as Row 2.

Row 5—Same as Row 1.

Row 6—Same as Row 2.

Repeat from Row 1 until work measures 2¼ inches from start, bind off.

CUFFS: Cast on 16 Sts. and work as follows:

Row 1—P.1, K.4, P.1, K.10.

Row 2—P.10, K.1, P.4, K.1.

Row 3—P.1, twist Cable as on Collar, P.1, K.10.

Row 4—Same as Row 2.

Row 5—Same as Row 1.

Row 6—Same as Row 2.

Repeat Pattern from Row 1 until work measures

12″	12″	13″	14″	14″

from start, bind off.

BELT: Cast on 16 Sts. Work in Stockinette St. Work even until Belt measures

28″	29½″	31″	33″	35″

(or desired length), bind off.

Face Belt with grosgrain ribbon. Turn corners under at one end to form point. Fasten with snap fasteners.

Sew shoulder and sleeve seams. Sew underarm seams. Work 1 row of S.C. around neck edge and at back opening. Sew slide fastener in back opening. Sew Collar to neck edge. Join Cuffs, then join to Sleeves by working 1 row of S.C. through sleeve and cuff edge. Work 1 row of S.C. around Cuffs and Collar. Sew Blouse to Skirt.

Number 8312

QUICK-KNIT BASIC DRESS

Sizes 12, 14, 16, 18 and 20 (as shown on page 13)

Original made of Minerva Sparkletone Rug Yarn

Color: Black with Silver Tinsel

MATERIALS REQUIRED:

Minerva Sparkletone Rug Yarn (2 ounce skein)

Size 12	Size 14	Size 16	Size 18	Size 20
16 Skeins	18 Skeins	20 Skeins	22 Skeins	24 Skeins

AND

Silver Tinsel (100 yard spool)

Size 12	Size 14	Size 16	Size 18	Size 20
20 Spools	22 Spools	25 Spools	27 Spools	30 Spools

Knitting Needles: 1 "Boye" Circular Needle Size 10½—29 inch

Gauge: 4 Sts. to 1 inch
5 rows to 1 inch

1 "Boye" Non-Inflammable Plastic Crochet Hook "F"
(Size 3 or 4)

Use 1 strand of yarn and 1 strand of Silver Tinsel together throughout.

SIZES: 12 14 16 18 20

DRESS: Starting at lower edge of Skirt, cast on

310 Sts. 320 Sts. 330 Sts. 340 Sts. 350 Sts.

Work back and forth in Stockinette St. for 6 rows. Next row decrease 11 Sts. as follows: K.34, K.2 together,

*K.22 *K.23 *K.24 *K.25 *K.26

K.2 together, repeat from * 9 times more, K.34 (first Stockinette St. Strip will measure 4 inches for 30 inch Skirt—for shorter or longer Skirt make adjustments here).

Place a marker in each of the 11 decreases. Work even for 9 rows, then decrease 1 St. over each of the 11 markers. Work 3 rows more (20 rows of Stockinette St.), then work Pattern Stripe as follows:

Row 1—K.1, *Y.O., K.1, repeat from * across row.

Row 2—P.1, *drop the Y.O. loop off the left hand needle, P.1, repeat from * across row.

Row 3—K.2, bind off 5 Sts. for first Buttonhole, K. to end of row.

Row 4—K. (P. ridge on right side), cast on 5 Sts. over the bound-off Sts. for Buttonhole, K.2.

Row 5—K., decreasing 11 Sts. as before.

Row 6—P.1, *Y.O., P.1, repeat from * across row.

Row 7—K.1, * drop the Y.O. loop off the left hand needle, K.1, repeat from * across row.

Work 9 rows in Stockinette St., decreasing 1 St. over each of the 11 markers on 3rd row and on 6th row (55 Sts. decreased from start).

Sts. on Needle:

255 Sts. 265 Sts. 275 Sts. 285 Sts. 295 Sts.

Repeat the last 16 rows 3 times more.

Sts. on Needle:

156 Sts. 166 Sts. 176 Sts. 186 Sts. 196 Sts.

Work Pattern Stripe, decreasing

16 Sts. 18 Sts. 20 Sts. 22 Sts. 24 Sts.

evenly across on Row 5.

Sts. on Needle:

140 Sts. 148 Sts. 156 Sts. 164 Sts. 172 Sts.

Work in Stockinette St., decreasing

10 Sts. 11 Sts. 12 Sts. 12 Sts. 13 Sts.

across row every inch 3 times.

Sts. on Needle:

110 Sts. 115 Sts. 120 Sts. 128 Sts. 133 Sts.

Work 1 more Buttonhole (equal distance from last Buttonhole).

When Skirt measures 30 inches from start (or desired length), continue as follows:

BLOUSE: Work 4 rows in Stockinette St. Next row increase 1 St. in

8th St. 6th St. 5th St. 9th St. 5th St.

then in every 3rd St. across, increasing

32 Sts. 35 Sts. 38 Sts. 38 Sts. 41 Sts.

Sts. on Needle:

142 Sts. 150 Sts. 158 Sts. 166 Sts. 174 Sts.

Work in Stockinette St., increasing at each underarm on first row as follows:

K.34 K.36 K.38 K.40 K.42

increase 1 St. in next St., K.4, increase 1 St. in next St. (place a marker in each decrease),

K.62 K.66 K.70 K.74 K.78

increase 1 St. in next St., K.4, increase 1 St. in next St. (place a marker in each decrease),

K.34 K.36 K.38 K.40 K.42

to end of row.

Increase 1 St. over each of the 4 markers (having 2 Sts. more between increases at each underarm) every 4th row 3 times more.

Sts. on Needle:

158 Sts. 166 Sts. 174 Sts. 182 Sts. 190 Sts.

P.1 row, then work Rows 1 and 2 of Pattern Stripe.

Next row K.2, bind off 5 Sts. for Buttonhole, then (counting last St. used in binding off) K.

34 Sts. 36 Sts. 38 Sts. 40 Sts. 42 Sts.

slip these Sts. on St. Holder for Right Front, K. across next

76 Sts. 80 Sts. 84 Sts. 88 Sts. 92 Sts.

Another Famous Product — Lees Carpets

for Back, slip remaining

41 Sts. 43 Sts. 45 Sts. 47 Sts. 49 Sts.

on St. Holder for Left Front.

Continue in Pattern as on Skirt and cast on 8 Sts. at end of each of the next 6 rows for Sleeves (24 Sts. each side).

Sts. on Needle:

124 Sts. 128 Sts. 132 Sts. 136 Sts. 140 Sts.

When sleeve edge measures

5″ 5″ 5″ 5½″ 6″

To Shape Sleeves and Shoulders: Bind off 3 Sts. at beginning of each row 26 times (39 Sts. bound-off each side), then bind off

7 Sts. 8 Sts. 9 Sts. 9 Sts. 10 Sts.

at beginning of each row 4 times.

Bind off remaining

18 Sts. 18 Sts. 18 Sts. 22 Sts. 22 Sts.

for back of neck.

Slip Sts. of Right Front on needle, join yarn at underarm. Work Row 4 of Pattern St. (casting on 5 Sts. for Buttonhole at front edge). Continue in Pattern, casting on 8 Sts. every other row 3 times at side edge for Sleeve. Work 1 more Buttonhole on next Row 3 of Pattern Stripe, then 1 inch above last Buttonhole, bind off 5 Sts. at front edge. Continue in Pattern and when sleeve edge measures same as at Back, bind off 3 Sts. at sleeve edge every other row 13 times and at the same time when front edge measures 3 inches from last 5 bound-off Sts., bind off

7 Sts. 7 Sts. 7 Sts. 9 Sts. 9 Sts.

When

14 Sts. 16 Sts. 18 Sts. 18 Sts. 20 Sts.

remain on needle, bind off

7 Sts. 8 Sts. 9 Sts. 9 Sts. 10 Sts.

at side edge every other row 2 times.

LEFT FRONT: Work to correspond with Right Front (omitting Buttonholes).

Sew shoulder and sleeve seams.

Work 2 rows of S.C. around all edges of Dress.

Face front edges and neck edge with grosgrain ribbon, work around Buttonholes.

Crochet Casing for elastic (see Page 41) inside of waistline.

CROCHETED BELT: Ch.8, turn.

Row 1—Work 1 D.C. in 3rd Ch. from hook, then 1 D.C. in each of remaining 5 Ch., Ch.2, turn.

Row 2—1 D.C. in each St., Ch.2, turn.

Repeat Row 2 until Belt measures

28″ 30″ 32″ 34″ 36″

(or desired length).

Work 2 rows of S.C. around Belt. Fasten with snap fasteners.

No. 8315 (continued from page 19)

To Shape Armhole: Bind off 5 Sts. at side edge, then decrease 1 St. at same edge every other row

7 times 7 times 10 times 11 times

Sts. on Needle:

60 Sts. 64 Sts. 65 Sts. 68 Sts.

When armhole measures 1½ inches from bound-off Sts. at underarm,

To Shape Neck: Decrease 1 St. at neck edge, then every 4th row

20 times 21 times 21 times 22 times

more.

When armhole measures same as at Back,

To Shape Shoulder: Bind off

14 Sts. 15 Sts. 15 Sts. 16 Sts.

at armhole edge every other row 2 times, then bind off remaining Sts.

Place markers at front edge for 7 Buttons, having first marker 2 inches from start and 7th marker ½ inch before first decrease at neck edge.

RIGHT FRONT: Work to correspond with Left Front, working Buttonholes to correspond with markers as follows: (Buttonholes may be worked by machine if desired) Work 3 Sts., bind off 4 Sts., work to end of row. On next row cast on 4 Sts. over bound-off Sts.

SLEEVES: With Color 1 cast on

74 Sts. 76 Sts. 78 Sts. 80 Sts.

Work hem same as on Back, then change to Pattern St. and work even for 1 inch. Increase 1 St. each side, then every ¾ inch 19 times more.

Sts. on Needle:

114 Sts. 116 Sts. 118 Sts. 120 Sts.

When Sleeve measures

17½″ 17½″ 18″ 18″

from turn of hem (or desired length),

(continued on page 36)

No. 8315 (continued from page 35)

To Shape Cap of Sleeve: Bind off 5 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every row 6 times, then every other row until

38 Sts. 34 Sts. 34 Sts. 34 Sts.

remain. Bind off.

COLLAR: With Color 1 cast on 81 Sts. Work in Pattern St., always P. the 41st St. on right side of work and K. the same St. on wrong side for turn of Collar. Decrease 1 St. each side every 4th row 20 times. Work even until piece measures

15″ 16″ 16″ 16½″

from start (measured at center), increase 1 St. each side, then every 4th row 19 times more. After last increase, work 3 rows even, bind off.

DIAGONAL WEAVING: On Back, Fronts and Sleeves. Thread Tapestry Needle with strand of Color 3. Draw yarn through P. Sts. in diagonal line in one direction, skipping 6 P. Sts. between lines. Work diagonal lines in same manner in opposite direction.

Sew shoulder seams. Sew Sleeves in place. Sew underarm and sleeve seams. Fold Collar, sew seam at each side and sew to neck edge. Turn up hems and sew lightly in place. Sew tape at inside of waistline and shoulder seams. Face front edges with grosgrain ribbon, working around Buttonholes.

BUTTONS: With Color 1 cast on 24 Sts. Work in Pattern St. for 6 inches, to cover 7 — ¾ inch Button Molds.

Number 8316

TWO-TONE CARDIGAN ENSEMBLE

Sizes 12, 14, 16, 18 and 20 (as shown on page 20)
Original made of Minerva Monterey—Light Color: Clover Mauve
Dark Color: Beauvais

MATERIALS REQUIRED:
Minerva Monterey (1 ounce skein)

	Size 12	Size 14	Size 16	Size 18	Size 20
Dress:					
Light Color	21 Skeins	22 Skeins	24 Skeins	26 Skeins	28 Skeins
Dark Color	1 Skein	1 Skein	2 Skeins	2 Skeins	2 Skeins
Cardigan:					
Light Color	7 Skeins	8 Skeins	9 Skeins	10 Skeins	11 Skeins
Dark Color	3 Skeins	4 Skeins	5 Skeins	6 Skeins	6 Skeins

—OR—

Minerva Velveen (1 ounce ball)

	Size 12	Size 14	Size 16	Size 18	Size 20
Dress:					
Light Color	18 Balls	19 Balls	21 Balls	22 Balls	24 Balls
Dark Color	1 Ball	1 Ball	2 Balls	2 Balls	2 Balls
Cardigan:					
Light Color	6 Balls	7 Balls	8 Balls	9 Balls	10 Balls
Dark Color	3 Balls	4 Balls	5 Balls	6 Balls	6 Balls

Knitting Needles: 1 Pair "Boye" Size 1—14 inch
1 Pair "Boye" Size 3—14 inch
1 "Boye" Circular Needle Size 3—29 inch

Gauge: 7 Sts. to 1 inch (Stockinette St.—Dress)
7½ Sts. to 1 inch (Pattern St.—Cardigan)

1 "Boye" Steel Crochet Hook Size 2

SIZES: 12 14 16 18 20

SKIRT: With Circular Needle and Light Color, cast on

480 Sts. 480 Sts. 504 Sts. 504 Sts. 528 Sts.

join, being careful not to twist Sts.

Row 1— *K.18 *K.18 *K.19 *K.19 *K.20
P.2, repeat from * around (24 K. Panels).
Repeat this row for Pattern. When work measures

5″ 6″ 5″ 7″ 6″

from start (for 30 inch Skirt—for shorter or longer Skirt make adjustments here), decrease 1 St. in center of every other Panel (decreasing 12 Sts.). Work 1 inch even, then decrease 1 St. in center of alternate Panels (decreasing 12 Sts.).

Continue to decrease 12 Sts. in this manner every inch

17 times 16 times 17 times 15 times 16 times

more (alternating Panels).
Sts. on Needle: (Hipline—23 inches from start)

252 Sts. 264 Sts. 276 Sts. 300 Sts. 312 Sts.

Decrease 12 Sts. every inch 6 times more, then work ½ inch even and decrease

5 Sts. 6 Sts. 8 Sts. 18 Sts. 16 Sts.

around, at the same time when work measures 25 inches from start, work back and forth for placket, dividing Sts. in center of P.2 rib.

Sts. on Needle:

175 Sts. 186 Sts. 196 Sts. 210 Sts. 224 Sts.

When work measures 30 inches from start (or desired length), bind off.

Work 3 rows of S.C. across top edge. Work Casing for elastic (see Page 41) at inside of waistline. Work 1 row of S.C. around lower edge.

BLOUSE—BACK: With Straight Size 3 Needles and Light Color cast on

92 Sts. 100 Sts. 108 Sts. 116 Sts. 124 Sts.

Work in Stockinette St., increasing 1 St. each side every ¾ inch 10 times.

When work measures

8″ 8″ 8″ 8½″ 8½″

from start (or desired length to underarm),

To Shape Cap Sleeves: Cast on 7 Sts. at end of each of the next 4 rows.

Sts. on Needle:

140 Sts. 148 Sts. 156 Sts. 164 Sts. 172 Sts.

Work even for 1 inch, break yarn.

Join Dark Color and work 10 rows, break yarn. Continue with Light Color. Divide Sts. for back opening, joining another ball of yarn at center and working both sides at the same time. Increase 1 St. at each armhole edge, then every inch 3 times more.

When sleeve edge measures

6½″ 6½″ 7″ 7″ 7″

To Shape Shoulder: Bind off

9 Sts. 10 Sts. 11 Sts. 12 Sts. 13 Sts.

at sleeve edge every other row

4 times 6 times 4 times 4 times 4 times

then

10 Sts. ——— 10 Sts. 9 Sts. 9 Sts.

2 times ——— 2 times 2 times 2 times

Bind off remaining Sts. for back of neck.

FRONT: Work same as Back, omitting back opening, until sleeve edge measures

4½″ 4½″ 5″ 5″ 5″

To Shape Neck: Bind off 4 Sts. at center, join another ball of yarn and work both sides at the same time, binding off 2 Sts. at neck edge every other row 5 times, then bind off

6 Sts. 6 Sts. 6 Sts. 8 Sts. 8 Sts.

at same edge, at the same time when armhole measures same as at Back, shape Shoulder to correspond with Back.

BELT: With Dark Color cast on 10 Sts. Work in Stockinette St. for desired length, bind off. Face Belt with grosgrain ribbon, turning corners under at one end to form point. Sew snap fasteners in place.

Sew shoulder seams. Sew underarm seams, leaving 4 inches open at left side for placket. Work 2 rows of S.C. around Sleeves and neck edge and 1 row at back opening. Sew Blouse to Skirt. Work 1 row of S.C. at placket opening. Sew slide fastener in placket and back opening. Draw elastic through Casing.

CARDIGAN—BACK: With Size 1 Needles and Light Color cast on

96 Sts. 104 Sts. 112 Sts. 120 Sts. 128 Sts.

Work in Ribbing of K.2, P.2, for 4 inches, increasing 10 Sts. evenly across last row. Change to Size 3 Needles and start Pattern from Chart (see Page 38) as follows: Wind one bobbin of Dark Color for each motif (or use separate strands), starting in

5th St. 1st St. 9th St. 5th St. 1st St.

on Chart. Work 1 inch even (always twisting strands when changing colors). Increase 1 St. each side, then every 6th row

6 times 6 times 6 times 5 times 5 times

more, being careful to keep Pattern even.

Sts. on Needle:

120 Sts. 128 Sts. 136 Sts. 142 Sts. 150 Sts.

When work measures 11 inches from start (or desired length to underarm), cast on 2 Sts. at end of each of the next 8 rows for underarm, then cast on

61 Sts. 63 Sts. 65 Sts. 62 Sts. 64 Sts.

at end of each of the next 2 rows for Sleeves, being careful to keep Pattern even.

Sts. on Needle:

258 Sts. 270 Sts. 282 Sts. 282 Sts. 294 Sts.

Work even until sleeve edge measures

5½″ 5½″ 5½″ 6″ 6″

To Shape Sleeves and Shoulders: Bind off

16 Sts. 16 Sts. 17 Sts. 17 Sts. 18 Sts.

at beginning of each of the next

14 rows 10 rows 10 rows 10 rows 12 rows

then

——— 19 Sts. 19 Sts. 19 Sts. 19 Sts.

at beginning of next

——— 4 rows 4 rows 4 rows 2 rows

Slip remaining

34 Sts. 34 Sts. 36 Sts. 36 Sts. 40 Sts.

on St. Holder for neckband.

LEFT FRONT: With Size 1 Needles and Light Color cast on

60 Sts. 64 Sts. 68 Sts. 72 Sts. 76 Sts.

Work in Ribbing of K.2, P.2, for 4 inches. Bind off 15 Sts. at beginning of next row at front edge for underlap, work across row.

(continued on page 38)

No. 8316 (continued from page 37)

Change to Size 3 Needles and start Pattern same as at Back, ending first row Light Color K.7. Work 1 inch even, then increase at side edge and cast on Sts. for Sleeve to correspond with Back. Sts. on Needle:

121 Sts. 127 Sts. 133 Sts. 133 Sts. 139 Sts.

When sleeve edge measures

4½" 4½" 4½" 5" 5"

To Shape Neck: Bind off

3 Sts. 3 Sts. 3 Sts. 3 Sts. 5 Sts.

at front edge, then decrease 1 St. at same edge every other row

6 times 6 times 7 times 7 times 7 times

at the same time, when sleeve edge measures same as at Back, shape Sleeve and Shoulder to correspond with Back.

RIGHT FRONT: Work to correspond with Left Front (reversing Pattern) and working first Buttonhole ¾ inch from start as follows: K.2, bind off 4 Sts., work to end of row. On next row cast on 4 Sts. over bound-off Sts. Work 3 more Buttonholes in this manner 1 inch apart.

Sew shoulder and sleeve seams.

SLEEVE BANDS: With Size 1 Needles and Light Color, on right side of work, pick up and K.

80 Sts. 80 Sts. 80 Sts. 84 Sts. 84 Sts.

across sleeve edge. Work in Ribbing of K.2, P.2, for 9 rows, bind off.

NECKBAND AND FRONT BORDERS: Starting at Right Front at bound-off Sts. of Ribbing, with Size 1 Needles and Light Color pick up and K.

93 Sts. 93 Sts. 99 Sts. 99 Sts. 99 Sts.

up Right Front, place marker at corner, pick up and K.

82 Sts. 82 Sts. 86 Sts. 86 Sts. 86 Sts.

across neck edge (including Sts. on St. Holder), place marker at corner, pick up and K.

93 Sts. 93 Sts. 99 Sts. 99 Sts. 99 Sts.

down Left Front (to bound-off Sts. at Ribbing). Work all Sts. in Ribbing of K.2, P.2, increasing 1 St. at each side of markers every other row for 9 rows, bind off.

Sew edge of Ribbing to bound-off Sts. of Waistband. Sew underarm and sleeve seams. Face front edges of Waistband with grosgrain ribbon, working around Buttonholes. Sew narrow tape across back of neck.

CHART FOR No. 8316



Number 8317

DAY INTO EVENING DRESS

Sizes 12, 14, 16 and 18 (as shown on page 21)

Original made of Minerva Monterey and Minerva Nylon Ribbon—Color: Pearl

---

MATERIALS REQUIRED:

Minerva Monterey (1 ounce skein)

Size 12	Size 14	Size 16	Size 18
17 Skeins	18 Skeins	20 Skeins	22 Skeins

—OR—

Minerva Velveen (1 ounce ball)

Size 12	Size 14	Size 16	Size 18
15 Balls	16 Balls	17 Balls	19 Balls

AND

Minerva Nylon Ribbon (100 yard spool)

Size 12	Size 14	Size 16	Size 18
6 Spools	7 Spools	8 Spools	9 Spools

Knitting Needles: 1 Pair "Boye" Size 3—14 inch
1 Pair "Boye" Size 9—14 inch

Gauge: 7 Sts. to 1 inch (Stockinette St.—Size 3 Needles)
6 Sts. to 1 inch (Pattern St.—Size 9 Needles)

1 "Boye" Steel Crochet Hook Size 2

PATTERN STITCH: (Multiple of 2 Sts.)
Use Size 9 Needles.

Row 1—(Right side) *With Ribbon K.1, with Ribbon in front slip 1, Ribbon in back, repeat from * across row.

Row 2—*With Ribbon P.1, Ribbon in back slip 1, Ribbon in front, repeat from * across row.

Row 3—With yarn work same as Row 1.

Row 4—With yarn work same as Row 2.

Repeat from Row 1 for Pattern St.

SIZES: 12 14 16 18

SKIRT—(Worked in 2 Gores)

BACK: With Size 3 Needles and yarn cast on 252 Sts. Work in Stockinette St. for 1 inch. P.1 row on right side for turn of hem. Work even for 1 inch, ending with P. row (for 30 inch Skirt—for longer or shorter Skirt make adjustments here or in following Stockinette St. Stripes), then work Pattern St. Stripe as follows: *Join Ribbon, change to Size 9 Needles and work in Pattern St. for 4 inches, ending with Row 1.

Next row change to Size 3 Needles, ** with Ribbon in front slip 1, Ribbon in back slip 1, repeat from ** across row. Cut Ribbon ***. With yarn work in Stockinette St. for 1 inch. Start decreases on next row as follows:

1st Decreasing Row—K.10, *K.2 together, K.19, repeat from * across, ending K.2 together, K.9 (decreasing 12 Sts. across row). Work 1 inch even.

2nd Decreasing Row—K.9, *K.2 together, K.18, repeat from * across, ending K.2 together, K.9. Work 1 inch even.

3rd Decreasing Row—K.9, *K.2 together, K.17, repeat from * across, ending K.2 together, K.8. Work 1 inch even.

4th Decreasing Row—K.8, *K.2 together, K.16, repeat from * across, ending K.2 together, K.8 (204 Sts. on needle).

P.1 row, then work Pattern St. Stripe from * to *** as before. Work in Stockinette St. with yarn for 4 inches, decreasing 12 Sts. in same manner as before every 1 inch 4 times (156 Sts. on needle).

Work Pattern St. Stripe from * to ***.

Work in Stockinette St. with yarn for 4 inches, decreasing as follows:

Work 1 inch, then decrease 12 Sts. across. Work 1 inch, then decrease

20 Sts. 14 Sts. 8 Sts. ———

across row.

Sts. on Needle: (Hipline—23 inches from P. row of hem)
124 Sts. 130 Sts. 136 Sts. 144 Sts.

Decrease 12 Sts. across every inch 2 times more.

Work Pattern St. Stripe from * to ***.

Work in Stockinette St. with yarn for ½ inch, decrease
12 Sts. 14 Sts. 14 Sts. 14 Sts.

across.

When work measures 30 inches (or desired length) from start, bind off.

FRONT: Work same as Back.

Sew side seams, leaving 5 inches open at left side for placket. Turn up hem and sew. With yarn work 3 rows of S.C. at waistline.

BLOUSE—BACK: With Size 3 Needles and yarn cast on
96 Sts. 104 Sts. 110 Sts. 118 Sts.

Work in Stockinette St. Work even for 1 inch, increase 1 St. each side, then every ¾ inch 7 times more.

Sts. on Needle:
112 Sts. 120 Sts. 126 Sts. 134 Sts.

When work measures 8 inches from start (or desired length to underarm),

To Shape Armholes: Bind off 7 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 4 times.

Sts. on Needle:
90 Sts. 98 Sts. 104 Sts. 112 Sts.

When armholes measure
3″ 3″ 3½″ 3½″

(measured straight from bound-off Sts. at underarm),

To Shape Neck: Work across 30 Sts., slip these Sts. on St. Holder, bind off next
30 Sts. 38 Sts. 44 Sts. 52 Sts.

and on remaining Sts. bind off 3 Sts. at neck edge every other row 10 times.

Work other side to correspond.

LEFT FRONT: With Size 3 Needles and yarn cast on
56 Sts. 60 Sts. 64 Sts. 68 Sts.

Work in Stockinette St. Work even for 1 inch, increase 1 St. at side edge, then every ¾ inch 7 times more.

Sts. on Needle:
64 Sts. 68 Sts. 72 Sts. 76 Sts.

When work measures same as Back to underarm,

To Shape Armhole: Bind off 7 Sts. at armhole edge, then decrease 1 St. every other row 4 times.

Sts. on Needle:
53 Sts. 57 Sts. 61 Sts. 65 Sts.

When armhole measures
1″ 1″ 1½″ 1½″

To Shape Neck: Bind off
13 Sts. 17 Sts. 21 Sts. 25 Sts.

(continued on page 40)

No. 8317 (continued from page 39)

at front edge, then 2 Sts. every other row 20 times.

Place markers for 8 Buttons at front edge 1 inch apart, having first marker 1 inch from neck edge (there will be 3 more Buttons in Neckband).

RIGHT FRONT: Work to correspond with Left Front, having increases and decreases at opposite sides and working Buttonholes to correspond with markers on Left Front as follows: Work 2 Sts., bind off 4 Sts., work to end of row. Next row cast on 4 Sts. over the bound-off Sts.

SLEEVES: With Size 3 Needles and yarn cast on

78 Sts. 78 Sts. 82 Sts. 82 Sts.

Join Ribbon, change to Size 9 Needles and work in Pattern St. When Sleeve measures 3 inches from start,

To Shape Cap of Sleeve: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 15 times. Bind off 3 Sts. at beginning of each of the next 4 rows, then bind off remaining Sts.

Neckband: With Size 3 Needles and yarn cast on

228 Sts. 240 Sts. 256 Sts. 264 Sts.

Join Ribbon, change to Size 9 Needles and work in Pattern St. for 1 inch. Work Buttonhole (binding off 3 Sts.). Work 1 inch, then work another Buttonhole. When work measures 2½ inches, ending last row same as Pattern Stripe on Skirt, cut Ribbon, then with yarn, bind off.

Sew underarm seams, leaving 4 inches open at left side for placket. Sew sleeve seams. Sew Sleeves in place to within bound-off Sts. at top of Sleeve. Sew Neckband to neck edge of Back, across top of Sleeves and Fronts (leaving space open to form Buttonhole at Right Front to correspond with other Buttonholes). Face front edges with grosgrain ribbon, sewing around Buttonholes. With yarn work 2 rows of S.C. around sleeve edges and neck edge (drawing in slightly to shape) and 1 row at front edges. Sew Blouse to Skirt, overlapping Right Front 1¼ inches. Sew slide fastener in placket. Work casing for elastic at inside of waistline (casing see Page 41).

BELT: With Size 3 Needles and yarn cast on 10 Sts. Work in Stockinette St. for 2 inches, then work Buttonhole as follows: Work first 5 Sts. only for ¾ inch, break yarn, then work other 5 Sts. for ¾ inch. Join Sts. and work even until Belt measures

29″ 30½″ 32″ 34″

(or desired length—allowing 4 inches for overlap), bind off.

Turn corners under at buttonhole edge for point. Face Belt with grosgrain ribbon, sew around Buttonhole. Sew Button and snap fastener to straight end.

GENERAL INSTRUCTIONS FOR NYLON RIBBON

Before you start to knit or crochet with Nylon Ribbon, be sure to check your gauge or scale of the number of stitches to the inch called for in the Instruction by making a small swatch and comparing your gauge to that called for in the Instruction. Always measure your gauge after steam pressing the swatch. If you have more stitches to the inch than the gauge calls for, use a larger needle or hook and if you have less stitches than the gauge calls for, use a smaller needle or hook.

To keep stitches completely flat while working do not pull or stretch work and always cast on and bind off Sts. loosely.

Stockinette Stitch—Cast on loosely the desired number of stitches. On purl rows—insert needle through front of stitch on left-hand needle from right to left, then throw Ribbon over the point of right-hand needle, draw loop through stitch and slip stitch off needle. On knit rows—insert right-hand needle through back of stitch on left-hand needle and throw Ribbon over the point of right-hand needle from right to left, draw loop through stitch and slip off needle. Repeat these two rows, being sure to keep Ribbon flat.

Woven Stitch:
Cast on Sts. loosely

K. Row—Insert right-hand needle in back of St., throw Ribbon under and over the needle with inside of Ribbon (inside of previous St.) facing needle, draw loop through loosely, being careful to keep Ribbon flat, then with left-hand needle in front slip the St. off the needle, keeping Ribbon flat and loose.

P. Row—Insert right-hand needle in front of St., throw Ribbon under and over the needle with inside of Ribbon (inside of previous St.) facing the needle, draw loop through loosely, keeping Ribbon flat, then with left-hand needle in front slip St. off the needle keeping Ribbon flat and loose.

Crocheting: When crocheting with Ribbon, follow gauge, same as when knitting, using crochet hook called for in the Instruction.

Blocking: Block all pieces before assembling, being careful not to stretch. Steam press each piece on the wrong side, using a damp smooth surface pressing cloth and a warm iron, or a dry smooth surface pressing cloth and a steam iron. Assemble pieces as if they were fabric. Baste all seams, then sew with machine or by hand. Press all seams on wrong side.

We recommend dry cleaning of Nylon Ribbon garments, or washing with mild soap flakes. See Washing Instructions for hand-knits on page 41.

Another Famous Product — Lees Carpets

GENERAL INSTRUCTIONS

ABBREVIATIONS USED IN KNITTING AND CROCHETING INSTRUCTIONS

K.—Knit
P.—Purl
Ch.—Chain
S.C.—Single Crochet
D.C.—Double Crochet
St.—Stitch
Y.O.—Yarn Over
Slip St.—Slip Stitch
P.S.S.O.—Pass Slip Stitch over Knit Stitch
H.D.C.—Half Double Crochet
Tr.C.—Treble Crochet

ASTERISKS (*-**): Star symbols indicate that work between them is to be repeated. When instructions call for repeating a given number of times, it is understood that this is in addition to the original. Thus, repeat 5 times more means 6 times in all.

GARTER STITCH: (Plain Knitting) K. every row.

RIB: 2 rows of Garter Stitch.

STOCKINETTE STITCH: K. 1 row, P. 1 row alternately. On Circular or Sock Needles knit continuously.

MOSS STITCH: K. 1 St., P. 1 St., on uneven number of Sts. On even number of Sts., K. 1 St., P. 1 St., across row; next row, P. 1 St., K. 1 St., across row.

TO INCREASE: K. 2 Sts. in 1 Stitch (Knitting 1 St. in the front and 1 St. in the back of same St.).

TO DECREASE: K. 2 Sts. together.

TO WORK EVEN: Work without increasing or decreasing.

BUTTONHOLES: Bind off the given number of stitches, this same number of stitches to be cast on on the next row directly over the bound-off stitches. Work around buttonholes in Buttonhole Stitch.

For Crocheted Buttonholes—Chain the desired number of stitches, skip the same number of stitches on previous row and on next row, work over the chain stitches.

FINISHING A NEW GARMENT

BLOCKING: Using rust-proof pins, pin each piece, wrong side out, on a pressing board in exactly the line you wish to retain. Use a damp cloth and moderately hot iron or a dry cloth and steam iron, press lightly, allowing the steam to go through the garment. Lay it on a flat surface until thoroughly dry.

JOINING: Sew pieces together, being careful that the edges meet evenly. Be careful to match rows wherever possible.

BEADING: Fasten yarn, chain 5, * skip 2 stitches, 1 double crochet in next stitch, chain 2, repeat from * around edge of garment.

CASING FOR ELASTIC (inside at waistline): Fasten yarn, * chain 5, skip 2 stitches, 1 slip stitch in stitch ½ inch below next stitch, chain 5, skip 2 stitches, 1 slip stitch in next stitch ½ inch above, repeat from *.

WASHING: Make suds in lukewarm water using mild alkali free soap flakes. Squeeze suds through fabric. Do not rub. Handle gently, do not lift out of water, as the weight of the wet garment will stretch it. Keep garment supported by the hands when squeezing out water. Rinse thoroughly three times in lukewarm water. Squeeze out as much water as possible, do not twist or wring, and roll in dry turkish towels to absorb excess moisture. Shape garment according to measurements and lay it on a turkish towel on a flat surface until thoroughly dry. Ribbing should be eased in so that it will fit as snugly as when new. Never dry in sun or excessive heat.

THIS IS IMPORTANT

DYE LOTS: Be sure to buy sufficient yarn at one time to complete your garment, making certain that each ball or skein has an identical set of dye lot letters, this is printed on the Band around the yarn, and is beside the color number.

GAUGE: Each Minerva Instruction gives a Gauge or Scale of the number of stitches to the inch when using the yarn and needles called for. If you work tighter than the average, change to larger needles; if you work looser, change to smaller needles, to acquire the same number of stitches to the inch called for in the instructions.

For complete satisfaction in the making of your hand-knitted garments illustrated in this book we recommend Minerva Yarns in the types specified. Also be sure to follow detailed instructions for size of needles and gauge.

Minerva Nylon Sweater and Sock Yarn is recommended for Sweaters, Socks, Infants Wear and Accessories. We do not recommend it for Dresses and Skirts.

If you are unable to obtain Minerva Yarns or Minerva Nylon Ribbon in your local Art Needlework Department or Yarn Shop, write to James Lees and Sons Company, Bridgeport, Pennsylvania and we will send you the name of the Minerva Dealer nearest you.

STANDARD BODY MEASUREMENTS

Sizes	12	—14	—16	—18	—20
Bust	30″	—32″	—34″	—36″	—38″
Waist	25″	—26½″	—28″	—30″	—32″
Hips	33″	—35″	—37″	—39″	—41″

AS SHOWN ON THE BACK COVER

● ONE-PIECE CROCHETED DRESS: Tropic Pink Velveen. No. 8301. Instructions on page 5.

JAMES LEES AND SONS COMPANY
Lees
Bridgeport, Pa.
For instructions
see inside back
cover
ANOTHER FAMOUS PRODUCT . . . . LEES CARPETS